

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
EON206P	JBL Packaged PA System	JBL Packaged PA System with integrated 160 Watt powered mixer; 6-channel mixer with user selectable Reverb on Ch1/2, 2 x	560.08
EON610	10" two-way stage monitor or front of house powered speaker system	10" two-way stage monitor or front of house powered speaker system; 1000 Watt peak power rating, 124dB Maximum SPL,	485.45
EON612	12" two-way stage monitor or front of house powered speaker system	12" two-way stage monitor or front of house powered speaker system; 1000 Watt peak power rating, 126dB Maximum SPL,	546.28
EON615	Powered 15" two-way system with Bluetooth.	Powered 15" two-way system featuring JBL's new waveguide technology and Bluetooth control.	607.12
JRX212	12" Two-Way Stage Monitor Speaker	12" two-way stage monitor or front of house passive speaker system; 1000 Watt peak power handling, 129dB Maximum SPL,	312.00
JRX215	15" Two-Way Front of House Passive Speaker	15" two-way front of house passive speaker system; 1000 Watt peak power handling, 128dB Maximum SPL, 8 ohms. 19mm	374.00
JRX218S	18" Passive Compact Subwoofer	18" passive compact subwoofer; 1400 Watt peak power handling, 127dB Maximum SPL, 4 ohms. 19mm MDF enclosure, 18-	624.00
JRX225	Dual 15" Two-Way Front of House Passive Speaker	Dual 15" two-way front of house passive speaker system; 2000 Watt peak power handling, 133dB Maximum SPL, 4 ohms.	562.00
JRX212	12" Two-Way Stage Monitor Speaker	12" two-way stage monitor or front of house passive speaker system; 1000 Watt peak power handling, 129dB Maximum SPL,	312.00
SS3-BK	SPEAKER POLE MOUNT	35mm Diameter, 41" (1041.4 mm) Speaker Pole for JRX, MRX and PRX Sub/Satellite configurations	64.00
SS3-BK24	SM SS3-BK24	S/M SS3-BK24	65.09
SS4-BK24	SM SS3-BK24	S/M SS3-BK24	75.93
JBLPOLE-MA	JBL manual adjust speaker pole.	JBL speaker pole with manual adjustment from 36" to 55".	116.65
JBLPOLE-GA	JBL gas assist speaker pole.	JBL speaker pole featuring gass assist adjustment from 36" to 53".	183.32
JBLTRIPOD-MA	JBL manual adjust speaker tripod.	JBL speaker tripod with manual adjustment from 4' 2" to 6' 5".	116.65
JBLTRIPOD-GA	JBL lift assist speaker tripod.	JBL speaker tripod featuring gass assist adjustment from 3' 8" to 6' 7"	283.32
PRX412M	12" Two-Way Stage Monitor	12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB Maximum SPL ,	624.00
PRX412M-WH	12" 2-WAY WHITE UTILITY SPEAKER	12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB Maximum SPL ,	730.00
PRX415M	Two-Way 15" Stage Monitor	15" two-way stage monitor or front- of- house passive speaker system; 1200 Watt peak power handling , 129dB Maximum SPL	686.00
PRX415M-WH	15" 2-WAY WHITE UTILITY SPEAKER	15" two-way stage monitor or front- of- house passive speaker system; 1200 Watt peak power handling , 129dB Maximum SPL	810.00
PRX418S	18" Subwoofer	Compact 18" portable subwoofer system; 35Hz Frequency Range, 2400 watt peak power handling, 130dB Max SPL, cloth-	936.00
PRX425	Dual 15" Two-Way Loudspeaker System	Dual 15" two-way passive speaker system; 2400 Watt peak power handling , 134dB Maximum SPL , 4 ohms. DuraFlex™-	936.00
PRX710	1500W 10" two-way powered loudspeaker system	1500W 10" two-way powered loudspeaker system with (2x) XLR-1/4" inputs, RCA inputs, XLR loop-thru, and user selectable	1,199.00
PRX712	1500W 12" two-way powered loudspeaker system	1500W 12" two-way powered loudspeaker system with (2x) XLR-1/4" inputs, RCA inputs, XLR loop-thru, and user selectable	1,299.00
PRX715	1500W 15" two-way powered loudspeaker system	1500W 15" two-way powered loudspeaker system with (2x) XLR-1/4" inputs, RCA inputs, XLR loop-thru, and user selectable	1,399.00
PRX725	1500W dual 15" two-way powered loudspeaker system	1500W dual 15" two-way powered loudspeaker system with (2x) XLR-1/4" inputs, RCA inputs, XLR loop-thru, and user	1,799.00
PRX735	1500W 15" three-way powered loudspeaker system	1500W 15" three-way powered loudspeaker system with (2x) XLR-1/4" inputs, RCA inputs, XLR loop-thru, and user selectable	1,799.00
PRX715XLF	1500W 15" extended low frequency powered subwoofer	1500W 15" extended low frequency powered subwoofer with (2x) XLR-1/4" inputs, (2x) XLR loop-thru, and user selectable HI	1,699.00
PRX718XLF	1500W 18" extended low frequency powered subwoofer	1500W 18" extended low frequency powered subwoofer with (2x) XLR-1/4" inputs, (2x) XLR loop-thru, and user selectable HI	1,999.00
SS2-BK	TRIPOD MOUNT SR/MR,EON,TR105/125,CNTRL 5	Tripod Stand for EON, JRX, MRX, PRX, SRX, and VRX	221.90
SS4-BK	SPEAKER POLE MOUNT	Adjustable Pole (35.5" - 57"; 900 mm - 1450 mm) for use with SRX718S/VRX918S/VRX918SP/VRX915S Subwoofer. M20	139.50
SS5-BK	TRIPOD MOUNT SR/MR,EON,TR105/125,CNTRL 5	Metal Pole Stand with hand-crank for VT4886's with locking collar and threaded end mount for VT4883 subs. Black.	272.00
SRX812P	2000 Watt Powered 2-way system featuring Crown Amplification	2000 Watt Powered 2-way system featuring Crown Amplification, network control, and full user configurable DSP. The	1,623.75
SRX815P	2000 Watt Powered 2-way system featuring Crown Amplification	2000 Watt Powered 2-way system featuring Crown Amplification, network control, and full user configurable DSP. The	1,748.75
SRX835P	2000 Watt Powered 3-way system featuring Crown Amplification	2000 Watt Powered 3-way system featuring Crown Amplification, network control, and full user configurable DSP. The	1,998.75
SRX818SP	1000 Watt Powered 18" subwoofer featuring Crown Amplification	1000 Watt Powered 18" subwoofer featuring Crown Amplification, network control, and full user configurable DSP. The	1,998.75
SRX828SP	2000 Watt Powered dual 18" subwoofer featuring Crown Amplification	2000 Watt Powered dual 18" subwoofer featuring Crown Amplification, network control, and full user configurable DSP. The	2,498.75
STX812M	12" Bass-Reflex Stage Monitor	12" Two-Way, Low-Profile Stage Monitor/Utility System in a Symmetrical Enclosure; 36mm Pole Mount Socket; 2206H Vented	1,499.00
STX812M-YK	Yoke Bracket Assy, STX812M	Yoke Bracket Assy, STX812M	149.00
STX815M	15" Two-Way Bass Reflex Loudspeaker	15" Two-Way System in an Angled Enclosure; 36mm Pole Mount Socket; 2226H Vented Gap Cooled® LF; 2431H 3"	1,874.00
STX818S	Single 18" Bass Reflex Subwoofer	18" Compact Subwoofer; 2242H Super Vented Gap® LF; 1000W Pink Noise/2000W Program/4000W Peak Power Handling.	1,499.00
STX825	Dual 15" Bass Reflex Loudspeaker	Dual 15" Two-Way System in a Trapezoidal Enclosure; 2 x 2226H Vented Gap Cooled® LF; 2453H 4" (Diaphragm) Compression	2,499.00
STX828S	Dual 18" Bass Reflex Subwoofer	Dual 18" High Power Subwoofer; 2 x 2242H Super Vented Gap® LF; Rectangular Bass Reflex Enclosure. 2000W Pink	2,499.00
STX835	Dual 15" Horn Loaded Loudspeaker	Dual 15" Two-Way System in a Trapezoidal Enclosure; 2 x 2226H Vented Gap Cooled® LF; 2453H 4" (Diaphragm) Compression	3,249.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
WK-4S	CASTER SET OF 4 SWIVEL CASTERS	Wheel Kit for SRX718S/VRX918S/VRX918S. 4 x Swivel Casters	89.00
2360B	TWO PIECE HORN/4675C-HFA	Bi-Radial® Horn, Constant Coverage 90° x 40°, 2" Throat, 350 Hz. (Replaces 2360A).	941.00
2370A	BI-RADIAL HORN	1" Flat-Front Bi-Radial® Horn, 90° x 40°, 800 Hz.	256.00
2380A	BI-RADIAL HORN	2" Medium Format Flat-Front Bi-Radial® Horn, 90° x 40° Nominal Pattern, 500Hz.	331.00
2382A	BI-RADIAL HORN	2" Medium Format Flat-Front Bi-Radial® Horn, 120° x 40° Nominal Pattern, 500Hz.	416.00
2385A	FLAT-FRONT BI-RADIAL	2" Medium Format Flat-Front Bi-Radial® Horn, 60° x 40° Nominal Pattern, 500Hz.	331.00
2426H	Replacement COMP DRIVER, 8 OHM	Compression Driver, 1.75" Titanium Diaphragm, 8 ohms.	440.00
2426J	Replacement COMP DRIVER, 16 OHM	Compression Driver, 1.75" Titanium Diaphragm, 16 ohms.	440.00
2446H	S/M COMP. DRIVER	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 8 ohms.	839.00
2446J	COMPRESSION DRV RPL	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 16 ohms	839.00
2447H	S/M, COMPRESSION DRV	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 8 ohms.	839.00
2447J	S/M, COMPRESSION DRV	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 16 ohms.	839.00
2450H	S/M, COMPRESS DRIVERNEODYMIUM	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet	1,542.00
2450J	S/M, COMPRESSION DRV	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet	1,542.00
2451H	S/M, COMPRESSION DRV	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet	1,500.00
2451J	S/M, COMPRESSION DRV	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet	1,500.00
2206H	S/M, 2206H 12" WOOFER	12" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.	450.00
2226H	S/M, 2226H 15" WOOFER	15" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.	503.00
2226J	S/M, 2226J 15" WOOFER	15" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 16 ohms.	503.00
2241H	S/M, 2241H 18" WOOFER	18" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.	797.00
2242H	18" LOW FREQ	18" Maximum Output, 800W AES Super Vented Gap Cooling™, 8 ohms.	1,017.00
DPDA-VT4880A	DPDA INPUT MODULE UPGRADE KIT	DPDA input module only, programmed to convert a VT4881ADP, -AN or -CN. With instructions.	1,208.00
DPDA-VT4881A	DPDA INPUT MODULE UPGRADE KIT	DPDA input module only, programmed to convert a VT4880ADP, -AN or -CN. With instructions.	1,208.00
DPDA-VT4882	DPDA INPUT MODULE UPGRADE KIT	DPDA input module only, programmed to convert a VT4882DP, -AN or -CN. With instructions	1,208.00
DPDA-VT4887A	DPDA INPUT MODULE UPGRADE KIT	DPDA input module only, programmed to convert a VT4887ADP, -AN or -CN. With instructions	1,208.00
DPDA-VT4888	DPDA INPUT MODULE UPGRADE KIT	DPDA input module only, programmed to convert a VT4888DP, -AN or -CN. With instructions.	1,208.00
DPDA-VT4889A	DPDA INPUT MODULE UPGRADE KIT	DPDA input module only, programmed to convert a VT4889ADP, -AN or -CN. With instructions.	1,208.00
VT4800-CA	COMPACT ADAPTER FRAME FOR VERTEC (COUPLE TO FULLSIZE BOXES)	Compact Adapter Frame for combining different VERTEC system models into multi-box arrays. Suspends VT4887 and/or	2,781.00
VT4800-DA	DOWNFILL ADAPTER FRAME FOR VERTEC (COUPLE TO FULLSIZE BOXES)	Downfill Adapter Frame for suspending up to four VT4887 beneath VT4889 or VT4880 arrays. Steel, black.	1,947.00
VT4800-UA	UNIVERSAL ADAPTER FRAME FOR VERTEC (MIDSIZE OR COMPACT TO FULLSIZE BOXES)	Universal Adapter Frame for combining different VERTEC system models into multi-box arrays. Suspends VT4888/VT4882	3,572.00
VT4880	VERTEC FULLSIZE SUBWOOFER	2 x 18" Arrayable Subwoofer for suspension or ground-stacking. Two 2258H 18" Neodymium Magnet, Differential Drive Direct	4,762.00
VT4880A	FULLSIZE SUBWOOFER, ULTRA LONG EXCURSION SPEAKERS	2 x 18" Ultra Long Excursion, High Power Handling Arrayable Subwoofer line array element for suspension or ground stacking.	6,393.00
VT4880A-ACC	ACCESSORY KIT, COVER AND DOLLY	Accessory Kit for VT4880A Subwoofer is sold and shipped as a separate item. Includes items necessary for proper transport	815.00
VT4880-ACC	ACCESSORY KIT, COVER AND DOLLY AND INCLUDES HINGEBARS	Accessory Kit for VT4880 subwoofer is sold and shipped as a separate item. Includes all items necessary for proper transport,	1,079.00
VT4880ADP	POWERED FULLSIZE 2-18" SUBWOOFER W/DPIP (dbx)	Fullsize Powered 2x18" Arrayable Subwoofer. Equipped with DP-3 JBL DrivePack® Unit, dbx Digital Signal Processing, Crown	9,921.00
VT4880ADP-ACC	S/M, VT4880ADP-ACC	Accessory Kit for VT4880ADP models. Includes items necessary for safe, reliable transport in portable-use conditions. Contains	1,090.00
VT4880ADP-DA	POWERED FULLSIZE 2-18" SUBWOOFER W/DPDA	VT4880ADP with standard DPDA input module. AES for digital audio and network for remote control/monitoring. XLR's for	11,151.00
VT4881A	COMPACT 1-18" SUBWOOFER	Compact 1x18" Very Low Frequency Arrayable Subwoofer. Replaces VT4881. One 2269H 18" Ultra Long Excursion Dual-Coil	3,836.00
VT4881-ACC	DOLLY AND COVER FOR VT4881A OR VT4881	Accessory Kit for VT4881A Midsize Line Array Element is Sold and Shipped as a Separate Item. Includes Items Necessary for	705.00
VT4881ADP	POWERED COMPACT 1-18" SUBWOOFER W/DPIP (dbx)	1 X 18" Powered Compact Arrayable Subwoofer Equipped with DP1 DrivePack unit. Integrated audio system with dbx digital	5,698.00
VT4881ADP-ACC	ACCESSORY KIT, COVER AND DOLLY FOR POWERED COMPACT SUB	Accessory Kit for VT4881ADP Systems. Sold and shipped separately. Includes items necessary for proper transport and	991.00
VT4881ADP-DA	POWERED COMPACT 1-18" SUBWOOFER W/DPDA MODULE	VT4881ADP with standard DPDA input module. AES for digital audio and network for remote control/monitoring. XLR's for	6,928.00
VT4882	MIDSIZE 2x15" LINE ARRAY SUBWOOFER	Midsize 2x15"Arrayable Subwoofer Loudspeaker for Suspension or Ground-Stacking. Two 2266H 381 mm (15") Differential	4,527.00
VT4882-ACC	ACCESSORY KIT, DOLLY AND COVER FOR VT4882	Accessory Kit for VT4882 Midsize Subwoofer. Includes Items Necessary for Transport and Protection of One VT4882: (1)	737.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
VT4882DP	MIDSIZE 2x15" LINE ARRAY SUBWOOFER W/DPIP (dbx)	Powered 2x15" Midsize Arrayable Subwoofer Equipped with DP3 DrivePack unit. Integrated audio system with dbx digital	7,290.00
VT4882DP-ACC	ACCESSORY KIT, DOLLY AND COVER FOR POWERED VT4882DP	Accessory Kit for VT4882DP systems. Sold and shipped separately. Includes items necessary for proper transport and	1,013.00
VT4882DP-DA	POWERED MIDSIZE 2-15" SUBWOOFER W/DPDA	VT4882DP with standard DPDA input module. AES for digital audio and network for remote control/monitoring. XLR's for	8,543.00
VT4883	SUBCOMPACT 2x12" ARRAYABLE SUBWOOFER	Subcompact 2 x 12" Cardioid-Arrayable Subwoofer Loudspeaker with 2x JBL Differential Drive® dual voice coil and dual	3,115.00
VT4886	SUBCOMPACT FULLRANGE LINE ARRAY ELEMENT	Subcompact 2 x 6.5" Passive 3-Way High Directivity Line Array Element Loudspeaker with 2x JBL Differential Drive® dual voice	3,004.00
VT4886-AF	SUBCOMPACT SYSTEM ARRAY FRAME	Subcompact System Array Frame for suspension of VT4883, VT4886 or mixed VT4883/VT4886 arrays. Mates to integrated	1,783.00
VT4886-DF88	SUBCOMPACT SYSTEM DOWNFILL FRAME	Subcompact System Downfill Frame for suspension of up to 8 VT4886 Subcompact line array elements beneath Midsize VT488	1,969.00
VT4886-DF89	SUBCOMPACT SYSTEM DOWNFILL FRAME	Subcompact System Downfill Frame for suspension of up to 8 VT4886 Subcompact line array elements beneath Fullsize VT488	2,126.00
VT4886-HB	VERTEC SUBCOMPACT BRACKET, 3-BOXES, WITH POLEMOUNT, EXT. PLATES	Subcompact System Horizontal Bracket for suspension of up to six VT4886 line array elements in constant-coverage horizontal	1,223.00
VT4886-SF	SUBCOMPACT SYSTEM SHORT FRAME	Subcompact System Short Frame for suspension of VT4886 arrays. Mates to integrated suspension hardware on VT4886. Can a	1,680.00
VT4886-UB	VERTEC SUBCOMPACT BRACKET, 3-BOX, POLEMOUNT	Mounting cradle for VT4886's with bolt-on pole mount adaptor. Base unit holds 1-2, extender plates enable up to 3 speakers	440.00
VT4886-UB1	VERTEC SUBCOMPACT BRACKET, 1-2 BOXES ONLY	Basic U-bracket cradle for 1 or 2 VT4886's with mounting holes. Steel, black.	296.00
VT4887A	COMPACT FULLRANGE LINE ARRAY ELEMENT	Bi-Amplified Three-Way High Directivity Compact Line Array Element. Replaces VT4887. Two 2168J-1.8" Differential Drive®	4,640.00
VT4887A-ASP	ACOUSTICAL SPARES KIT FOR VT4887A	Acoustical Spares Kit for VT4887A. Includes (1) 2168J-1.8" speaker, (2) 2104H midrange speaker, and (2) 2408H high frequency	1,119.00
VT4887-ACC	ACCESSORY KIT, DOLLY AND COVER FOR VT4887A OR VT4887	Accessory Kit for VT4887A compact line array element is sold and shipped as a separate item. Includes items necessary for	583.00
VT4887ADP	POWERED COMPACT LINE ARRAY ELEMENT w/DPIP (dbx)	Powered Compact High Directivity Line Array Element Equipped with DP2 DrivePack unit. Integrated audio system with dbx	6,867.00
VT4887ADP-ACC	ACCESSORY KIT, DOLLY AND COVER FOR VT4887ADP OR -DA	Accessory Kit for VT4887ADP Systems. Sold and shipped separately. Includes items necessary for proper transport and	815.00
VT4887ADP-DA	POWERED COMPACT LINE ARRAY ELEMENT w/DPDA INPUT MODULE	VT4887ADP with standard DPDA input module. AES for digital audio and network for remote control/monitoring. XLR's for	8,097.00
VT4887-AF	ARRAY FRAME FOR ALL VT COMPACT MODELS INCLUDING DP SERIES	Array Frame for suspending VT4887A or VT4881A enclosures, including powered models, in an array or for use as bottom	2,778.00
VT4887-MSP	M ECHANICAL SPARES KIT FOR VT4887	Mechanical Spares Kit for VT4887A or VT4887. Includes quantity of screws, lanyards, and other hardware items most likely to	1,096.00
VT4887-SF	SHORT FRAME FOR ALL VT COMPACT MODELS INCLUDING DP SERIES	Short Frame for suspending VT4887A or VT4881A enclosures, including powered models, in an array or for use as bottom	1,838.00
VT4888	MIDSIZE 3-WAY LINE ARRAY ELEMENT	Three-Way High Directivity Midsize Line Array Element. Precision waveguides, Radiation Boundary Integrators, two 2162H	7,311.00
VT4888-ACC	ACCESSORY KIT, DOLLY AND COVER FOR VT4888	Accessory Kit for VT4888 midsize line array element is sold and shipped as a separate item. Includes items necessary for	594.00
VT4888-AF	ARRAY FRAME FOR ALL VT COMPACT MODELS INCLUDING DP SERIES	Array Frame for suspending VT4888 or VT4882 enclosures, including powered models. Also enables ground-stacking up to 6	3,027.00
VT4888-ASP	ACOUSTICAL SPARES KIT FOR VT4888	Acoustical Spares Kit for VT4888. Includes (1) 2262H 12" speaker, (2) 2106H midrange speakers, and (2) diaphragm kits for	2,182.00
VT4888DP	MIDSIZE POWERED 3-WAY LINE ARRAY ELEMENT	Powered 3-Way High Directivity Midsize Line Array Element Equipped with DP3 DrivePack unit. Integrated audio system with	10,038.00
VT4888DP-ACC	ACCESSORY KIT, DOLLY AND COVER FOR POWERED VT4888DP, -DA	Accessory Kit for VT4888DP systems. Sold and shipped separately. Includes items necessary for proper transport and	958.00
VT4888DP-DA	MIDSIZE POWERED LINE ARRAY ELEMENT W/DPDA INPUT MODULE	VT4888DP with standard DPDA input module. AES for digital audio and network for remote control/monitoring. XLR's for	11,279.00
VT4888-MSP	MECHANICAL SPARES KIT FOR VT4888	Mechanical Spares Kit for VT4888. Includes quantity of screws, lanyards, and other hardware items most likely to be required	1,119.00
VT4888-SF	SHORT FRAME FOR ALL VERTEC MIDSIZE MODELS INCLUDING DP SERIES	Short Frame for suspending VT4888 or VT4882 enclosures, including powered models, in an array or for use as bottom anchor	1,881.00
VT4889	FULLSIZE 3-WAY LINE ARRAY ELEMENT, COMPOSITE BOX	Three-Way High Directivity Full Size Line Array Element Loudspeaker with advanced composite enclosure materials. High	14,518.00
VT4889-1	FULLSIZE 3-WAY LINE ARRAY ELEMENT, WOOD BOX	Three-Way High Directivity Full Size Line Array Element Loudspeaker with PlyMax® wooden enclosure materials. Identical	10,451.00
VT4889-1-ACC	ACCESSORY KIT, DOLLY AND COVER FOR VT4889-1	SALES MODEL, VT4889-1-ACC	815.00
VT4889ADP	FULLSIZE POWERED LINE ARRAY ELEMENT W/DPIP (dbx)	Fullsize Powered 3-Way High Directivity Line Array Element Loudspeaker. Equipped with DP-3 JBL DrivePack® Unit, dbx Digital	14,607.00
VT4889ADP-ACC	ACCESSORY KIT, DOLLY AND COVER FOR VT4889ADP	Accessory Kit for VT4889ADP models. Includes items necessary for safe, reliable transport in portable-use conditions. Contains	1,068.00
VT4889ADP-DA	FULLSIZE POWERED LINE ARRAY ELEMENT W/DPDA INPUT MODULE	VT4889ADP with standard DPDA input module. AES for digital audio and network for remote control/monitoring. XLR's for	15,836.00
VT4889-AF	Array Frame	Array Frame for suspending or ground stacking VTX V25, VTX S28, VT4889, VT4889-1, VT4880, VT4880A enclosures. Weight 45	3,242.85
VT4889-ASP	ACOUSTICAL SPARES KIT FOR VT4889	Acoustical Spares Kit for VT4889, VT4889-1. Includes minimum anticipated spare loudspeakers and replacement diaphragms	3,868.00
VT4889-MSP	MECHANICAL SPARES KIT FOR VT4889	Mechanical Spares Kit for VT4889, VT4889-1. Includes quantity of screws, lanyards and other hardware items most likely to be	2,032.00
VT4889-SF	Short Frame	Short Frame for suspending or ground stacking VTX V25, VTX S28, VT4889, VT4889-1, VT4880, VT4880A enclosures. Can also	2,270.00
VTDP1-81ADA-UK	DP1 UPGRADE KIT FOR VT4881A	DP-1 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4881A to a	2,730.00
VTDP2-87ADA-UK	DP2 UPGRADE KIT FOR VT4887A	DP-2 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4887A to a	2,730.00
VTDP3-80ADA-UK	DP3 UPGRADE KIT FOR VT4880A	DP-3 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4880A to a	3,465.00
VTDP3-82DA-UK	DP3 UPGRADE KIT FOR VT4882	DP-3 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4882 to a	3,413.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
VTDP3-88DA-UK	DP3 UPGRADE KIT FOR VT4888	DP-3 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4888 to a	3,413.00
VTDP3-89ADA-UK	DP3 UPGRADE KIT FOR VT4889-1	DP-3 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4889-1 to a	3,465.00
VRX915M	S/M, VRX915M	15" two-way dedicated floor monitor system with an 800 watt 2265H Differential Drive® LF; 2452H, 4" voice coil compression	2,059.00
VRX915S	S/M, VRX915S	15" Bass Reflex Subwoofer	1,549.00
VRX915S-WH	S/M, VRX915S-WH	15" Bass Reflex Subwoofer - white	1,549.00
VRX918S	S/M, VRX918S	18" compact, flying subwoofer; 2268H Differential Drive® LF; integral flying hardware compatible with VRX932LA-1 and	1,679.00
VRX918SP	S/M, VRX918SP	Powered 18" flying subwoofer; 2268H Differential Drive® LF, Crown DPC-2 Amplifier Module with system DSP; Integral Rigging	2,399.00
VRX918S-WH	S/M, VRX918S-WH	18" Compact, Flying Subwoofer; 2268H Differential Drive® LF; Integral Flying Hardware Compatible with VRX932LA and	1,679.00
VRX928LA	S/M, VRX928LA	8" two-way line-array system with 1 x 2168H-1 Differential Drive® 400 W LF; 2 x 2414H 1 inch compression driver HF on	1,779.00
VRX928LA-WH	S/M, VRX928LA-WH	8" Two-Way Line-Array System with 1 x 2168H-1 Differential Drive® 400W LF; 2 x 2414H 1 inch Compression Driver HF on	1,779.00
VRX932LA-1	SALES MODEL, VRX932LA-1	12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant	2,759.00
VRX932LA-1WH	S/M, VRX932LA-1WH	12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant	2,759.00
VRX932LAP	SALES MODEL, VRX932LAP	Powered 12" two-way line-array system with 1 x 2262H Differential Drive® LF, 3 x 2408J HF on Constant Curvature waveguide;	3,429.00
VRX-AF	S/M, VRX-AF	Array Frame for suspending VRX932LA-1/P, VRX918S/P enclosures. Includes 4 x Quick Release Pins, 2 x Shackles, 2 x Drop	1,049.00
VRX-SMAF	S/M, VRX-SMAF	Small Array Frame for suspending VRX928LA and VRX915S arrays. Includes 2 x quick release pins, 2 x shackles, 2 x drop levers..	629.00
VTX-F12	VTX F Series F12 2-Way Fill Enclosure	VTX F Series F12 2-Way Fill Enclosure featuring patented D2 compression driver technology and Differential Drive® LF cone	2,350.00
VTX-F12-UB	VTX-F12 Universal Bracket	VTX-F12 Universal Bracket (Includes Pole Mount and Stacking Feet)	325.00
VTX-F15	VTX F Series F15 2-Way Fill Enclosure	VTX F Series F15 2-Way Fill Enclosure featuring patented D2 compression driver technology and Differential Drive® LF cone	2,850.00
VTX-F15-UB	VTX-F15 Universal Bracket	VTX-F15 Universal Bracket (Includes Pole Mount and Stacking Feet)	325.00
VTX-F18S	VTX F Series F18S Compact Subwoofer Enclosure	VTX F Series F18S Compact Subwoofer Enclosure featuring ultra long throw, patented Differential Drive® LF transducer	2,995.00
VTX-G28	VTX Series G28 Ground-Stack Dual 18" Subwoofer	VTX Series G28 Ground-Stack Dual 18" Subwoofer featuring ultra long throw, patented Differential Drive® LF transducers	5,575.00
VTX-G28-ACC	VTX G28 Accessory Cover Caster-Board	VTX G28 Accessory Cover Caster-Board for transportation and protection of one G28 enclosure. Includes: padded, reinforced	1,358.00
VTX-LZ	VTX Series Laser Unit installation accessory	VTX Series Laser Unit installation accessory. Includes mount bracket for attachment to V25. Black.	200.00
VTX-LZ-8788-MB	VTX Series Laser Unit VT4887 VT4888 Mount Bracket accessory	VTX Series Laser Unit VT4887 VT4888 Mount Bracket accessory. Allows attachment of VTX-LZ to VT4887, VT4887A, VT4888,	245.00
VTX-LZ-89-MB	VTX Series Laser Unit VT4889 Mount Bracket accessory	VTX Series Laser Unit VT4889 Mount Bracket accessory. Allows attachment of VTX-LZ to VT4889, VT4889ADP, VT4880,	245.00
VTX-LZ-K	VTX Series Laser Kit installation accessory	VTX Series Laser Kit installation accessory. Includes 2x VTX-LZ lasers and 1x VTX-LZ-PS rechargeable power supply unit.	550.00
VTX-LZ-PS	VTX Series Laser Power Supply installation accessory	VTX Series Laser Power Supply installation accessory. Replacement or spare rechargeable power supply unit. Black.	150.00
VTX-LZ-V20-MB	VTX Series Laser Mount Bracket Adapter for VTX-V20	VTX Series Laser Mount Bracket Adapter for VTX-V20	110.00
VTX-LZ-V25-MB	VTX Series Laser Mount Bracket Adapter for VTX-V25	VTX Series Laser Mount Bracket Adapter for VTX-V25	62.50
VTX-S25	VTX Series S25 Suspendable Dual 15" Subwoofer	VTX Series S25 Suspendable Dual 15" Subwoofer. Companion subwoofer for VTX V20 featuring ultra long throw, patented	5,845.00
VTX-S25-VT	VTX S25 Vertical Transporter	VTX S25 Vertical Transporter for transportation of up to three VTX S25 enclosures in a vertical column in either front-firing or c	695.00
VTX-S25-VT-CVR	VTX S25 Vertical Transporter Cover	VTX S25 Vertical Transporter Cover for use with VTX-S25-VT. Modular, reconfigurable design allows for protection of two or th	765.00
VTX-S28	VTX Series S28 Suspendable Dual 18" Subwoofer	VTX Series S28 Suspendable Dual 18" Subwoofer featuring ultra long throw, patented Differential Drive® VLF transducers	6,720.00
VTX-S28-ACC	VTX S28 Accessory Cover Caster-Board	VTX S28 Accessory Cover Caster-Board for transportation and protection of one S28 enclosure. Includes: padded, reinforced	1,162.00
VTX-S28-VTC	VTX S28 Vertical Transporter	VTX S28 Vertical Transporter for transportation of up to three VTX S28 enclosures in a vertical column in either front-firing or	1,375.00
VTX-S28-VT-CVR	VTX S28 Vertical Transporter Cover	VTX S28 Vertical Transporter Cover for use with VTX-S28-VT. Modular, reconfigurable design allows for protection of three	865.00
VTX-V20	VTX V Series V20 Midsize 3-Way Line Array	VTX V Series V20 Midsize 3-Way Line Array Element featuring patented D2 dual diaphragm dual driver technology, Differential	7,875.00
VTX-V20-AF	VTX V20 ARRAY FRAME	VTX V20 ARRAY FRAME for suspending or ground stacking VTX V20 or VTX S25 enclosures. Includes leveling screw jacks; optio	3,500.00
VTX-V20-AF-EB	VTX V20 ARRAY FRAME EXTENSION BAR	VTX V20 ARRAY FRAME EXTENSION BAR for use with VTX-V20-AF, front- or rear-mounted. Single (central) or dual (side-mounte	1,020.00
VTX-V20-DF	VTX V20 DOWNFILL ADAPTER	VTX V20 DOWNFILL ADAPTER Frame for suspension of up to 6 VTX V20 line array elements beneath VTX V25, V25-CS, V25-II, an	3,175.00
VTX-V20-LH	Columbus McKinnon (CM) Series 653 ¼ ton manual lever hoist	Columbus McKinnon (CM) Series 653 ¼ ton manual lever hoist	535.00
VTX-V20-PB	VTX V20 PULL BACK ADAPTER	VTX V20 PULL BACK ADAPTER for attachment to bottom V20 enclosure to facilitate rear pull back (compression-style)	995.00
VTX-V20-VT	VTX V20 Vertical Transporter	VTX V20 Vertical Transporter for transportation of up to four VTX V20 enclosures in a vertical column. Includes: dolley board w	895.00
VTX-V20-VT-CVR	VTX V20 Vertical Transporter Cover	VTX V20 Vertical Transporter Cover for use with VTX-V20-VT. Modular, reconfigurable design allows for protection of three to f	630.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
VTX-V25-ACC	VTX V25 Accessory Cover Caster-Board	VTX V25 Accessory Cover Caster-Board for transportation and protection of one V25 enclosure. Includes: padded, reinforced	999.00
VTX-V25-AF	VTX V25 ARRAY FRAME - TOURING	VTX V25 ARRAY FRAME - TOURING for suspending or ground stacking VTX V25 or VTX S28 enclosures. Includes leveling screw	4,375.00
VTX-V25-AF-EB	VTX V25 ARRAY FRAME EXTENSION BAR	VTX V25 ARRAY FRAME EXTENSION BAR for use with VTX-V25-AF, front- or rear-mounted. Single (central) or dual (side-	1,350.00
VTX-V25-CS-K	VTX V25 COMPRESSION SUSPENSION KIT	VTX V25 COMPRESSION SUSPENSION KIT for converting 1x VTX V25 enclosure to compression-style suspension. Includes: 2x	575.00
VTX-V25-CS-K-LJ	VTX V25 COMPRESSION SUSPENSION KIT LABEL JIG INSTALLATION FIXTURE (1X LABEL JIG PER CS-K ORDER)	VTX V25 COMPRESSION SUSPENSION KIT LABEL JIG INSTALLATION FIXTURE (1X LABEL JIG PER CS-K ORDER)	100.00
VTX-V25-II	VTX V Series V25-II Fullsize 3-Way Line Array Element (Fixed Angle / Tension Suspension)	VTX V Series V25-II Fullsize 3-Way Line Array Element (Fixed Angle / Tension Suspension) featuring patented D2 dual	13,570.00
VTX-V25-II-CS	VTX V Series V25-II-CS Fullsize 3-Way Line Array Element (Compression Suspension)	VTX V Series V25-II-CS Fullsize 3-Way Line Array Element (Compression Suspension) featuring patented D2 dual diaphragm	13,570.00
VTX-V25-LH	VTX V25 LEVER HOIST	VTX V25 LEVER HOIST for attachment to VTX-V25-PB pull back adapter to facilitate rear pull back (compression-style)	795.00
VTX-V25-PB	VTX V25 PULL BACK ADAPTER	VTX V25 PULL BACK ADAPTER for attachment to bottom V25 enclosure to facilitate rear pull back (compression-style)	1,090.00
VTX-V25-VTC	VTX V25 Vertical Transporter	VTX V25 Vertical Transporter for transportation of up to four VTX V25 enclosures in a vertical column. Includes: dolly board	1,225.00
VTX-V25-VT-CVR	VTX V25 Vertical Transporter Cover	VTX V25 Vertical Transporter Cover for use with VTX-V25-VT. Modular, reconfigurable design allows for protection of three to	865.00
VTX-V25-WG-UK	WAVEGUIDE UPGRADE KIT	WAVEGUIDE UPGRADE KIT	571.43
229-00009-01	HARDWARE KIT, SP/V/S	Set of Three M10 x 35mm Forged Shoulder Steel Eyebolts.	40.00
AC15	SM, AC15 5.25" 2way	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included.	383.00
AC15-WH	AC15-WH (white)	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included.	383.00
AC16	AC16 - Single 6.5" 2-way	Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™	772.00
AC16-WH	AC16 - Single 6.5" 2-way (white)	Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™	772.00
AC16-WRC	AC16 - Single 6.5" 2-way (Weather Protection Treatment)	Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™	1,444.00
AC16-WRX	AC16 - Single 6.5" 2-way (Extreme Weather Protection Treatment)	Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™	1,554.00
AC18/26	AC18/26 - SINGLE 8"2-WAY	Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	945.00
AC18/26-WH	AC18/26 - SINGLE 8"2-WAY (white)	Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	945.00
AC18/26-WRC	AC18/26 - SINGLE 8"2-WAY (Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	1,654.00
AC18/26-WRX	AC18/26 - SINGLE 8"2-WAY (Extreme Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	1,874.00
AC18/95	AC18/95 - SINGLE 8"2-WAY	Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	945.00
AC18/95-WH	AC18/95 - SINGLE 8"2-WAY (white)	Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	945.00
AC18/95-WRC	AC18/95 - SINGLE 8"2-WAY (Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	1,654.00
AC18/95-WRX	AC18/95 - SINGLE 8"2-WAY (Extreme Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	1,874.00
AC2212/00	12" 2-WAY 100X100 DEG SPEAKER	Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	1,024.00
AC2212/00-WH	12" 2-WAY 100X100 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	1,118.00
AC2212/00-WRC	12" 2-WAY 100X100 DEG SPEAKER (Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	2,000.00
AC2212/00-WRX	12" 2-WAY 100X100 DEG SPEAKER (Extreme Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	2,457.00
AC2212/64	12" 2-WAY 60X40 DEG SPEAKER	Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	977.00
AC2212/64-WH	12" 2-WAY 60X40 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	977.00
AC2212/64-WRC	12" 2-WAY 60X40 DEG SPEAKER (Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	2,016.00
AC2212/64-WRX	12" 2-WAY 60X40 DEG SPEAKER (Extreme Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	2,205.00
AC2212/95	12" 2-WAY 90X50 DEG SPEAKER	Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	977.00
AC2212/95-WH	12" 2-WAY 90X50 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	977.00
AC2212/95-WRC	12" 2-WAY 90X50 DEG SPEAKER (Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	2,016.00
AC2212/95-WRX	12" 2-WAY 90X50 DEG SPEAKER (Extreme Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	2,205.00
AC2215/00	15" 2-WAY 100X100 DEG SPEAKER	Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	1,103.00
AC2215/00-WH	15" 2-WAY 100X100 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	1,260.00
AC2215/00-WRC	15" 2-WAY 100X100 DEG SPEAKER (Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	2,195.00
AC2215/00-WRX	15" 2-WAY 100X100 DEG SPEAKER (Extreme Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	2,552.00
AC2215/64	5" 2-WAY 60X40 DEG SPEAKER	Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	1,066.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
AC2215/64-WH	5" 2-WAY 60X40 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	1,066.00
AC2215/64-WRC	5" 2-WAY 60X40 DEG SPEAKER (Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	1,869.00
AC2215/64-WRX	5" 2-WAY 60X40 DEG SPEAKER (Extreme Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	2,195.00
AC2215/95	15" 2-WAY 90X50 DEG SPEAKER	Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	1,066.00
AC2215/95-WH	15" 2-WAY 90X50 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	1,066.00
AC2215/95-WRC	15" 2-WAY 90X50 DEG SPEAKER (Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	1,869.00
AC2215/95-WRX	15" 2-WAY 90X50 DEG SPEAKER (Extreme Weather Protection Treatment)	Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive	2,195.00
AC25	AC25 - Dual 5.25" 2way	Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included.	714.00
AC25-WH	AC25 - Dual 5.25" 2way (white)	Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included.	714.00
AC26	AC26 - Dual 6.5" 2way	Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™	1,103.00
AC26-WH	AC26 - Dual 6.5" 2way (white)	Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™	1,103.00
AC26-WRC	AC26 - Dual 6.5" 2way (Weather Protection Treatment)	Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™	1,775.00
AC26-WRX	AC26 - Dual 6.5" 2way (Extreme Weather Protection Treatment)	Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™	1,885.00
AC28/26	AC28/26 - Dual 8" 2way	Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	1,276.00
AC28/26-WH	AC28/26 - Dual 8" 2way (white)	Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	1,276.00
AC28/26-WRC	AC28/26 - Dual 8" 2way (Weather Protection Treatment)	Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	1,985.00
AC28/26-WRX	AC28/26 - Dual 8" 2way (Extreme Weather Protection Treatment)	Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	2,205.00
AC28/95	AC28/95 - Dual 8" 2way	Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	1,276.00
AC28/95-WH	AC28/95 - Dual 8" 2way (white)	Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	1,276.00
AC28/95-WRC	AC28/95 - Dual 8" 2way (Weather Protection Treatment)	Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	1,985.00
AC28/95-WRX	AC28/95 - Dual 8" 2way (Extreme Weather Protection Treatment)	Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide,	2,205.00
AC895	8" 2-way full-range system	8" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2414H-C 25mm (1 in) exit, 25mm (1 in) voice	600.00
AC195	10" 2-way full-range system	10" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in)	750.00
AC266	12" 2-way full-range system	12" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.	850.00
AC299	12" 2-way full-range system	12" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.	850.00
AC566	15" 2-way full-range system	15" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.	950.00
AC599	15" 2-way full-range system	15" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.	950.00
AC1155	15" Subwoofer	15" Subwoofer with 75mm (3 in) voice coil.	850.00
AC1185	18" Subwoofer	18" Subwoofer with 75mm (3 in) voice coil.	950.00
AL7115	15" LOW FREQUENCY SPEAKER	High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or White (-WH).	1,544.00
AL7115-WH	15" LOW FREQUENCY SPEAKER	High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or White (-WH).	1,544.00
AL7115-WRC	15" LOW FREQUENCY SPEAKER	With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for	2,420.00
AL7115-WRX	15" LOW FREQUENCY SPEAKER	With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for	3,087.00
AM5212/00	Two-way full range loudspeaker	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual	1,596.00
AM5212/00-WH	Two-way full range loudspeaker (white)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual	1,596.00
AM5212/00-WRC	Two-way full range loudspeaker (Extreme Weather Protection Treatment)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual	2,489.00
AM5212/00-WRX	Two-way full range loudspeaker (Weather Protection Treatment)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual	2,972.00
AM5212/26	Two-way full range loudspeaker	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual	1,596.00
AM5212/26-WH	Two-way full range loudspeaker (white)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual	1,596.00
AM5212/26-WRC	Two-way full range loudspeaker (Weather Protection Treatment)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual	2,489.00
AM5212/26-WRX	Two-way full range loudspeaker (Extreme Weather Protection Treatment)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual	2,972.00
AM5212/64	Two-way full range loudspeaker	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual	1,596.00
AM5212/64-WH	Two-way full range loudspeaker (white)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual	1,596.00
AM5212/64-WRC	Two-way full range loudspeaker (Weather Protection Treatment)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual	2,489.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
AM7212/64-WRX	Two-way full range loudspeaker (Extreme Weather Protection Treatment)	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	3,791.00
AM7212/66	Two-way full range loudspeaker	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	2,399.00
AM7212/66-WH	Two-way full range loudspeaker (white)	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	2,399.00
AM7212/66-WRC	Two-way full range loudspeaker (Weather Protection Treatment)	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	3,318.00
AM7212/66-WRX	Two-way full range loudspeaker (Extreme Weather Protection Treatment)	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	3,791.00
AM7212/95	Two-way full range loudspeaker	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual	2,399.00
AM7212/95-WH	Two-way full range loudspeaker (white)	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual	2,399.00
AM7212/95-WRC	Two-way full range loudspeaker (Weather Protection Treatment)	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual	3,318.00
AM7212/95-WRX	Two-way full range loudspeaker (Extreme Weather Protection Treatment)	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual	3,791.00
AM7215/26	Two-way full range loudspeaker	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	2,520.00
AM7215/26-WH	Two-way full range loudspeaker (white)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	2,520.00
AM7215/26-WRC	Two-way full range loudspeaker (Weather Protection Treatment)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	3,591.00
AM7215/26-WRX	Two-way full range loudspeaker (Extreme Weather Protection Treatment)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual	4,095.00
AM7215/64	Two-way full range loudspeaker	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	2,520.00
AM7215/64-WH	Two-way full range loudspeaker (white)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	2,520.00
AM7215/64-WRC	Two-way full range loudspeaker (Weather Protection Treatment)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	3,591.00
AM7215/64-WRX	Two-way full range loudspeaker (Extreme Weather Protection Treatment)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	4,095.00
AM7215/66	Two-way full range loudspeaker	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	2,520.00
AM7215/66-WH	Two-way full range loudspeaker (white)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	2,520.00
AM7215/66-WRC	Two-way full range loudspeaker (Weather Protection Treatment)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	3,591.00
AM7215/66-WRX	Two-way full range loudspeaker (Extreme Weather Protection Treatment)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	4,095.00
AM7215/95	Two-way full range loudspeaker	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	2,520.00
AM7215/95-WH	Two-way full range loudspeaker (white)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	2,520.00
AM7215/95-WRC	Two-way full range loudspeaker (Weather Protection Treatment)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	3,591.00
AM7215/95-WRX	Two-way full range loudspeaker (Extreme Weather Protection Treatment)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual	4,095.00
AM7315/64	3-WAY FULL-RANGE LOUDSPEAKER SYS	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic	3,581.00
AM7315/64-WH	3-WAY FULL-RANGE LOUDSPEAKER SYS	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic	3,581.00
AM7315/64-WRC	3-WAY FULL-RANGE LOUDSPEAKER SYS	With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for	4,652.00
AM7315/64-WRX	3-WAY FULL-RANGE LOUDSPEAKER SYS	With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series	5,159.00
AM7315/95	3-WAY FULL-RANGE LOUDSPEAKER SYSTEM	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic	3,581.00
AM7315/95-WH	3-WAY FULL-RANGE LOUDSPEAKER SYS	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic	3,581.00
AM7315/95-WRC	2-WAY FULL-RANGE LOUDSPEAKER SYSTEM	With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for	4,652.00
AM7315/95-WRX	2-WAY FULL-RANGE LOUDSPEAKER SYSTEM	With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series	5,159.00
ASB4128	DUAL 18" SUBWOOFER	Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Suspension Eyebolts Not Included.	2,394.00
ASB4128-WH	DUAL 18" SUBWOOFER (white)	Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Suspension Eyebolts Not Included.	2,394.00
ASB4128-WRC	DUAL 18" SUBWOOFER (Extreme Weather Protection Treatment)	Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. With Weather Protection	3,287.00
ASB4128-WRX	DUAL 18" SUBWOOFER (Weather Protection Treatment)	Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. With Extreme Weather Protection	4,137.00
ASB6112	SINGLE 12 SUBWOOFER	Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap,	1,365.00
ASB6112-WH	SINGLE 12 SUBWOOFER (white)	Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap,	1,365.00
ASB6112-WRC	SINGLE 12 SUBWOOFER (Weather Protection Treatment)	Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap,	2,310.00
ASB6112-WRX	SINGLE 12 SUBWOOFER (Extreme Weather Protection Treatment)	Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap,	2,814.00
ASB6115	SINGLE 15 SUBWOOFER	Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium	1,544.00
ASB6115-WH	SINGLE 15 SUBWOOFER (white)	Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium	1,544.00
ASB6115-WRC	SINGLE 15 SUBWOOFER (Weather Protection Treatment)	Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium	2,426.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
ASB6115-WRX	SINGLE 15 SUBWOOFER (Extreme Weather Protection Treatment)	Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium	3,087.00
ASB6118	SINGLE 18" SUBWOOFER	High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and	1,990.00
ASB6118-WH	SINGLE 18" SUBWOOFER (white)	High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and	1,990.00
ASB6118-WRC	SINGLE 18" SUBWOOFER (Weather Protection Treatment)	High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. With Weather Protection Treatment. Refer to WEATHER	2,709.00
ASB6118-WRX	SINGLE 18" SUBWOOFER (Extreme Weather Protection Treatment)	High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. With Extreme Weather Protection Treatment. Refer to	3,339.00
ASB6125	DUAL 15" SUBWOOFER	Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium	2,426.00
ASB6125-WH	DUAL 15" SUBWOOFER (white)	Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium	2,426.00
ASB6125-WRC	DUAL 15" SUBWOOFER (Weather Protection Treatment)	Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium	3,833.00
ASB6125-WRX	DUAL 15" SUBWOOFER (Extreme Weather Protection Finish)	Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium	4,578.00
ASB6128	DUAL 18" SUBWOOFER	High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not	3,134.00
ASB6128V	DUAL 18" SUBWOOFER, V-STYLE	Extended Response, High Power Dual 18" Subwoofer. 2 x 18" 2258H NDD™ Neodymium Dual Drive Transducers in V-Loaded	3,428.00
ASB6128V-WH	DUAL 18" SUBWOOFER, V-STYLE (white)	Extended Response, High Power Dual 18" Subwoofer. 2 x 18" 2258H NDD™ Neodymium Dual Drive Transducers in V-Loaded	3,428.00
ASB6128-WH	DUAL 18" SUBWOOFER (white)	High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not	3,134.00
ASB6128-WRC	DUAL 18" SUBWOOFER (Weather Protection Treatment)	High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. With Weather Protection	4,410.00
ASB6128-WRX	DUAL 18" SUBWOOFER (Extreme Weather Protection Treatment)	High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. With Extreme Weather Protection	4,736.00
ASB7118	SINGLE 18" SUBWOOFER	Ultra High-Power 18" Subwoofer System. . 2269H	2,977.00
ASB7118-WH	SINGLE 18" SUBWOOFER (white)	Ultra High-Power 18" Subwoofer System. . 2269H	2,977.00
ASB7118-WRC	SINGLE 18" SUBWOOFER (Weather Protection Treatment)	Ultra High-Power 18" Subwoofer System. . 2269H	4,337.00
ASB7118-WRX	SINGLE 18" SUBWOOFER (Extreme Weather Protection Treatment)	Ultra High-Power 18" Subwoofer System. . 2269H	5,061.00
ASB7128	DUAL 18" SUBWOOFER	Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual	5,224.00
ASB7128-WH	DUAL 18" SUBWOOFER (white)	Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual	5,224.00
ASB7128-WRC	DUAL 18" SUBWOOFER (Weather Protection Treatment)	Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual	7,655.00
ASB7128-WRX	DUAL 18" SUBWOOFER (Extreme Weather Protection Treatment)	Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual	8,747.00
ASH6118	SINGLE 18' HORNLOADED SUBWOOFER	Horn Loaded Subwoofer, Maximum Low Frequency Output & Sensitivity. 1 x 18" 2242H SVG™ Driver. Designed to be Used In	3,276.00
AW266	High Output 12" 2-way Full-Range Loudspeaker-GRAY	High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-GRAY	3,318.00
AW266-BK	High Output 12" 2-way Full-Range Loudspeaker-BLACK	High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-BLACK	3,318.00
AW266-LS	12" 2-Way All Weather Loudspeaker with EN54-24 Certification.	12" 2-Way All Weather Loudspeaker with EN54-24 Certification.	3,318.00
AW266-LS-BK	12" 2-Way All Weather Loudspeaker with EN54-24 Certification, black.	12" 2-Way All Weather Loudspeaker with EN54-24 Certification, black.	3,318.00
AW295	High Output 12" 2-way Full-Range Loudspeaker-GRAY	High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-GRAY	3,318.00
AW295-BK	High Output 12" 2-way Full-Range Loudspeaker-BLACK	High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-BLACK	3,318.00
AW295-LS	12" 2-Way All Weather Loudspeaker with EN54-24 Certification.	12" 2-Way All Weather Loudspeaker with EN54-24 Certification.	3,318.00
AW295-LS-BK	12" 2-Way All Weather Loudspeaker with EN54-24 Certification, black.	12" 2-Way All Weather Loudspeaker with EN54-24 Certification, black.	3,318.00
AW526	High Output 15" 2-way Full-Range Loudspeaker-GRAY	High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-GRAY	3,591.00
AW526-BK	High Output 15" 2-way Full-Range Loudspeaker-BLACK	High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-BLACK	3,591.00
AW526-LS	15" 2-Way All Weather Loudspeaker with EN54-24 Certification.	15" 2-Way All Weather Loudspeaker with EN54-24 Certification.	3,591.00
AW526-LS-BK	15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black.	15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black.	3,591.00
AW566	High Output 15" 2-way Full-Range Loudspeaker-GRAY	High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-GRAY	3,591.00
AW566-BK	High Output 15" 2-way Full-Range Loudspeaker-BLACK	High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-BLACK	3,591.00
AW566-LS	15" 2-Way All Weather Loudspeaker with EN54-24 Certification.	15" 2-Way All Weather Loudspeaker with EN54-24 Certification.	3,591.00
AW566-LS-BK	15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black.	15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black.	3,591.00
AW595	High Output 15" 2-way Full-Range Loudspeaker-GRAY	High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-GRAY	3,591.00
AW595-BK	High Output 15" 2-way Full-Range Loudspeaker-BLACK	High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-BLACK	3,591.00
AW595-LS	15" 2-Way All Weather Loudspeaker with EN54-24 Certification.	15" 2-Way All Weather Loudspeaker with EN54-24 Certification.	3,591.00
AW595-LS-BK	15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black.	15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black.	3,591.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
CWT128	2-WAY FULL-RANGE CROSSFIRE WAVEGUIDE	Crossfired Waveguide Technology. Extremely wide coverage dual 8", dual 2408H-1 compression drivers in a compact 2-way	2,300.00
CWT128-WH	2-WAY FULL-RANGE CROSSFIRE WAVEGUIDE - WHITE	Crossfired Waveguide Technology. Extremely wide coverage dual 8", dual 2408H-1 compression drivers in a compact 2-way	2,300.00
CWT128-WRC	With Weather Protection treatment	With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for	2,900.00
CWT128-WRX	With Extreme Weather Protection treatment	With Extreme Weather Protection treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document	3,400.00
DPDA-VP7212/64	S/M, DPDA-VP7212/64	DPDA input module only, programmed for use in a VP7212/64	1,208.00
DPDA-VP7212/95	S/M, DPDA-VP7212/95	DPDA input module only, programmed for use in a VP7212/95	1,208.00
DPDA-VP7215/64	S/M, DPDA-VP7215/64	DPDA input module only, programmed for use in a VP7215/64	1,208.00
DPDA-VP7215/95	S/M, DPDA-VP7215/95	DPDA input module only, programmed for use in a VP7215/95	1,208.00
DPDA-VP7315/64	S/M, DPDA-VP7315/64	DPDA input module only, programmed for use in a VP7312/64	1,208.00
DPDA-VPSB7118	S/M, DPDA-VPSB7118	DPDA input module only, programmed for use in a VPSB7118	1,208.00
MD1	Ultra High Frequency Loudspeaker	Ultra High Frequency Loudspeaker	795.00
MD2	High Output Mid-High Loudspeaker	High Output Mid-High 90° x 50° Loudspeaker	3,995.00
MD3L	High Output Low-Frequency Loudspeaker	High Output Low-Frequency Loudspeaker	5,095.00
MD3R	High Output Low-Frequency Loudspeaker	High Output Low-Frequency Loudspeaker	5,095.00
MD46	High Output 4-Way 15" Full-Range Loudspeaker	High Output 4-Way 15" Full-Range 60° x 40° Loudspeaker	5,795.00
MD49	High Output 4-Way 15" Full-Range Loudspeaker	High Output 4-Way 15" Full-Range 90° x 50° Loudspeaker	5,795.00
MD52	Medium Output 12" 2-Way Full-Range Loudspeaker	Medium Output 12" 2-Way Full-Range 90° x 50° Loudspeaker	1,695.00
MD55	Medium Output 15" 2-Way Full-Range Loudspeaker	Medium Output 15" 2-Way Full-Range 90° x 50° Loudspeaker	1,795.00
MD7	High Output Dual 18" Subwoofer	High Output Dual 18" Subwoofer	5,895.00
MDSB-1	Marquis Dance Club Series Stacking Bracket	Marquis Dance Club Series Stacking Bracket	1,800.00
MTU-1	"U" BRACKET FOR AM7215/xx and AM5215/xx	U-Bracket For Models AM7215/xx and AM5215/xx.	189.00
MTU-15	"U" BRACKET FOR AC15	U-Bracket For Model AC15	68.00
MTU-15-WH	"U" BRACKET FOR AC15	U-Bracket For Model AC15. White finish.	68.00
MTU-16	"U" BRACKET FOR AC16	U-Bracket For Model AC16	89.00
MTU-16-WH	"U" BRACKET FOR AC16	U-Bracket For Model AC16. White finish	89.00
MTU-18	"U" BRACKET FOR AC18	U-Bracket For Models AC18/xx	105.00
MTU-18-WH	"U" BRACKET FOR AC18	U-Bracket For Models AC18/xx. White finish	105.00
MTU-1-WH	"U" BRACKET FOR AM7215/xx and AM5215/xx (white)	U-Bracket For Models AM7215/xx and AM5215/xx. White finish.	189.00
MTU-2	U-BRACKET FOR MODEL AC2215/xx	U-Bracket For Model AC2215/xx	189.00
MTU-25	"U" BRACKET FOR AC25	U-Bracket For Model AC25	84.00
MTU-25-WH	"U" BRACKET FOR AC25	U-Bracket For Model AC25. White finish	84.00
MTU-26	"U" BRACKET FOR AC26	U-Bracket For Model AC26	100.00
MTU-26-WH	"U" BRACKET FOR AC26	U-Bracket For Model AC26. White finish	100.00
MTU-28	"U" BRACKET FOR AC28	U-Bracket For Models AC28/xx	131.00
MTU-28-WH	"U" BRACKET FOR AC28	U-Bracket For Models AC28/xx. White finish	131.00
MTU-2-WH	"U" BRACKET FOR AM7215/xx and AM5215/xx (white)	U-Bracket For Model AC2215/xx. White finish.	189.00
MTU-3	AE SERIES 28-1/2" U-BRACKET	U-Bracket For Models AM7212/xx and AM5212/xx.	194.00
MTU-3-WH	AE SERIES 28-1/2" U-BRACKET (white)	U-Bracket For Models AM7212/xx and AM5212/xx. White finish.	194.00
MTU-4	AE SERIES 22-1/4" U-BRACKET	U-Bracket For Model AC2212/xx.	194.00
MTU-4-WH	AE SERIES 22-1/4" U-BRACKET(white)	U-Bracket For Model AC2212/xx. White finish.	194.00
MTU7212	U-BRACKET 12"	U-Bracket for VP7212 LoudSpeaker System	431.00
MTU7215	U-BRACKET 15"	U-Bracket for VP7215 Loudspeaker System	546.00
PA7212-18H	2 WAY PLANNAR ARRAY KIT	Planar Array Kit for Rigging One VPSB7118 Subwoofer System with a VP7212 Loudspeaker System on each Side in a Horizontal	1,481.00
PA7212-18V	2 WAY PLANNAR ARRAY KIT	Planar Array Kit for Rigging Two VP7212 Loudspeakers Under One VPSB7118 Subwoofer System in a Vertical Array	1,376.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
PA7212-2	2 WAY PLANNAR ARRAY KIT	Two Wide Planar Array Kit for VP7212 Loudspeaker System	1,071.00
PA7215-2	2 WAY PLANNAR ARRAY KIT	Two Wide Planar Array Kit for VP7215 Loudspeaker System	1,071.00
PA7315-2	2 WAY PLANNAR ARRAY KIT	Two Wide Planar Array Kit for VP7315 Loudspeaker System	1,071.00
PAF-1K	AE PLANAR ARRAY FRAME 1	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x	1,502.00
PAF-1K-WH	AE PLANAR ARRAY FRAME 1-WHITE	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x	1,502.00
PAF-2K	AE PLANAR ARRAY FRAME 2	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array With LF or	1,874.00
PAF-2K-WH	AE PLANAR ARRAY FRAME 2-WHITE	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array With LF or	1,874.00
PAF-3K	AE PLANAR ARRAY FRAME 3	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x	1,985.00
PAF-3K-WH	AE PLANAR ARRAY FRAME 3-WHITE	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x	1,985.00
PD5122	Dual 12" low-frequency loudspeaker	High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled	2,352.00
PD5122-WH	Dual 12" low-frequency loudspeaker (white)	High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled	2,352.00
PD5122-WRC	Dual 12" low-frequency loudspeaker (Weather Protection Treatment)	High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled	3,287.00
PD5122-WRX	Dual 12" low-frequency loudspeaker (Extreme Weather Protection Treatment)	High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled	3,612.00
PD5125	Dual 15" low-frequency loudspeaker	High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled	2,447.00
PD5125-WH	Dual 15" low-frequency loudspeaker (white)	High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled	2,447.00
PD5125-WRC	Dual 15" low-frequency loudspeaker (Weather Protection Treatment)	High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled	3,381.00
PD5125-WRX	Dual 15" low-frequency loudspeaker (Extreme Weather Protection Treatment)	High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled	3,864.00
PD6200/43	Two-way mid-high horn-loaded loudspeaker	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.)	4,300.00
PD6200/43-WH	Two-way mid-high horn-loaded loudspeaker (white)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.)	4,300.00
PD6200/43-WRC	Two-way mid-high horn-loaded loudspeaker (Weather Protection Treatment)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.)	5,000.00
PD6200/43-WRX	Two-way mid-high horn-loaded loudspeaker (Extreme Weather Protection Treatment)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.)	5,800.00
PD6200/64	Two-way mid-high horn-loaded loudspeaker	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-	3,000.00
PD6200/64-WH	Two-way mid-high horn-loaded loudspeaker (white)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-	3,000.00
PD6200/64-WRC	Two-way mid-high horn-loaded loudspeaker (Weather Protection Treatment)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-	3,400.00
PD6200/64-WRX	Two-way mid-high horn-loaded loudspeaker (Extreme Weather Protection Treatment)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-	4,600.00
PD6200/66	Two-way mid-high horn-loaded loudspeaker	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm (8 in.) CMCD-	3,000.00
PD6200/66-WH	Two-way mid-high horn-loaded loudspeaker (white)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm (8 in.) CMCD-	3,000.00
PD6200/66-WRC	Two-way mid-high horn-loaded loudspeaker (Weather Protection Treatment)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm (8 in.) CMCD-	3,400.00
PD6200/66-WRX	Two-way mid-high horn-loaded loudspeaker (Extreme Weather Protection Treatment)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm (8 in.) CMCD-	4,600.00
PD6200/95	Two-way mid-high horn-loaded loudspeaker	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-	3,000.00
PD6200/95-WH	Two-way mid-high horn-loaded loudspeaker (white)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-	3,000.00
PD6200/95-WRC	Two-way mid-high horn-loaded loudspeaker (Weather Protection Treatment)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-	3,400.00
PD6200/95-WRX	Two-way mid-high horn-loaded loudspeaker (Extreme Weather Protection Treatment)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-	4,600.00
PD6212/43	12" two-way horn-loaded loudspeaker	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12	4,700.00
PD6212/43-WH	12" two-way horn-loaded loudspeaker (white)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12	4,700.00
PD6212/43-WRC	12" two-way horn-loaded loudspeaker (Weather Protection Treatment)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12	5,100.00
PD6212/43-WRX	12" two-way horn-loaded loudspeaker (Extreme Weather Protection Treatment)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12	5,900.00
PD6212/64	12" two-way horn-loaded loudspeaker	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12	3,400.00
PD6212/64-WH	12" two-way horn-loaded loudspeaker (white)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12	3,400.00
PD6212/64-WRC	12" two-way horn-loaded loudspeaker (Weather Protection Treatment)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12	4,050.00
PD6212/64-WRX	12" two-way horn-loaded loudspeaker (Extreme Weather Protection Treatment)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12	5,200.00
PD6212/66	12" two-way horn-loaded loudspeaker	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern. 300 mm (12	3,400.00
PD6212/66-WH	12" two-way horn-loaded loudspeaker (white)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern. 300 mm (12	3,400.00
PD6212/66-WRC	12" two-way horn-loaded loudspeaker (Weather Protection Treatment)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern. 300 mm (12	4,050.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
PD6212/66-WRX	12" two-way horn-loaded loudspeaker (Extreme Weather Protection Treatment)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern. 300 mm (12	5,200.00
PD6212/95	12" two-way horn-loaded loudspeaker	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12	3,400.00
PD6212/95-WH	12" two-way horn-loaded loudspeaker (white)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12	3,400.00
PD6212/95-WRC	12" two-way horn-loaded loudspeaker (Weather Protection Treatment)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12	4,050.00
PD6212/95-WRX	12" two-way horn-loaded loudspeaker (Extreme Weather Protection Treatment)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12	5,200.00
PD6322/43	Dual 12" three-way full-range loudspeaker	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded	5,400.00
PD6322/43-WH	Dual 12" three-way full-range loudspeaker (white)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded	5,400.00
PD6322/43-WRC	Dual 12" three-way full-range loudspeaker (Weather Protection Treatment)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded	5,900.00
PD6322/43-WRX	Dual 12" three-way full-range loudspeaker (Extreme Weather Protection Treatment)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded	6,700.00
PD6322/64	Dual 12" three-way full-range loudspeaker	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.)	4,000.00
PD6322/64-WH	Dual 12" three-way full-range loudspeaker (white)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.)	4,000.00
PD6322/64-WRC	Dual 12" three-way full-range loudspeaker (Weather Protection Treatment)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.)	4,650.00
PD6322/64-WRX	Dual 12" three-way full-range loudspeaker (Extreme Weather Protection Treatment)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.)	5,700.00
PD6322/66	Dual 12" three-way full-range loudspeaker	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300 mm (12 in.)	4,000.00
PD6322/66-WH	Dual 12" three-way full-range loudspeaker (white)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300 mm (12 in.)	4,000.00
PD6322/66-WRC	Dual 12" three-way full-range loudspeaker (Weather Protection Treatment)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300 mm (12 in.)	4,650.00
PD6322/66-WRX	Dual 12" three-way full-range loudspeaker (Extreme Weather Protection Treatment)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300 mm (12 in.)	5,700.00
PD6322/95	Dual 12" three-way full-range loudspeaker	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.)	4,000.00
PD6322/95-WH	Dual 12" three-way full-range loudspeaker (white)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.)	4,000.00
PD6322/95-WRC	Dual 12" three-way full-range loudspeaker (Weather Protection Treatment)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.)	4,650.00
PD6322/95-WRX	Dual 12" three-way full-range loudspeaker (Extreme Weather Protection Treatment)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.)	5,700.00
PD743	HIGH OUTPUT COAX 40 X 30	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™	10,374.00
PD743-WRC	HIGH OUTPUT COAX 40 X 30 (Weather Protection Treatment)	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™	13,000.00
PD743-WRX	HIGH OUTPUT COAX 40 X 30 (Extreme Weather Protection Treatment)	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™	14,000.00
PD764	HIGH OUTPUT COAX 60 X 40	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™	9,450.00
PD764-WRC	HIGH OUTPUT COAX 60 X 40 (Weather Protection Treatment)	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™	12,000.00
PD764-WRX	HIGH OUTPUT COAX 60 X 40 (Extreme Weather Protection Treatment)	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™	13,000.00
PM42	42" POLE	42" Pole for use with SM7200 when pole mounting VP7210, VP7212, and VP7215 over a VPSB7118	158.00
PRX412M	12" Two-Way Stage Monitor	12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB Maximum SPL ,	624.00
PRX412M-WH	12" 2-WAY WHITE UTILITY SPEAKER	12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB Maximum SPL ,	730.00
PRX415M	Two-Way 15" Stage Monitor	15" two-way stage monitor or front- of- house passive speaker system; 1200 Watt peak power handling , 129dB Maximum SPL	686.00
PRX415M-WH	15" 2-WAY WHITE UTILITY SPEAKER	15" two-way stage monitor or front- of- house passive speaker system; 1200 Watt peak power handling , 129dB Maximum SPL	810.00
PRX418S	18" Subwoofer	Compact 18" portable subwoofer system; 35Hz Frequency Range, 2400 watt peak power handling, 130dB Max SPL, cloth-	936.00
PRX425	Dual 15" Two-Way Loudspeaker System	Dual 15" two-way passive speaker system; 2400 Watt peak power handling , 134dB Maximum SPL , 4 ohms. DuraFlex™-	936.00
SM7200	Pole Mount Bracket	Stand Mount for VP7210, VP7212 and VP7215 Loudspeaker Systems	284.00
VLA301	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern.	10,206.00
VLA301H	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern.	12,668.00
VLA301H-WRC	Three-way horn-loaded line array system (Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern.	12,422.00
VLA301H-WRX	Three-way horn-loaded line array system (Extreme Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern.	16,259.00
VLA301-WRC	Three-way horn-loaded line array system (Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern.	9,251.00
VLA301-WRX	Three-way horn-loaded line array system (Extreme Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern.	13,377.00
VLA601	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern.	8,710.00
VLA601H	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern.	11,477.00
VLA601H-WRC	Three-way horn-loaded line array system (Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern.	12,128.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
VLA601H-WRX	Three-way horn-loaded line array system (Extreme Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern.	13,892.00
VLA601-WRC	Three-way horn-loaded line array system (Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern.	8,962.00
VLA601-WRX	Three-way horn-loaded line array system (Extreme Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern.	11,235.00
VLA901	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern.	9,765.00
VLA901H	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern.	11,366.00
VLA901H-WRC	Three-way horn-loaded line array system (Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern.	11,907.00
VLA901H-WRX	Three-way horn-loaded line array system (Extreme Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern.	13,403.00
VLA901-WRC	Three-way horn-loaded line array system (Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern.	8,752.00
VLA901-WRX	Three-way horn-loaded line array system (Extreme Weather Protection Treatment)	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern.	11,351.00
VP7118-ACC	VP7118-ACC - SOFT COVER & DOLLY BOARD	Accessory Kit for VPSB7118. Includes Padded Cover and Dolly Wheelboard.	935.00
VP7210/95DP	S/M, VP7210/95DP	Powered High-Output 2-Way Full-Range Fill Loudspeaker with 1 x 10" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified.	3,717.00
VP7210-CVR	VP7210 - SOFT COVER	Padded Cover for VP7210	131.00
VP7212/64DP	Powered 12" two-way full-range loudspeaker system	Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 x 1.5" exit HF 60° x 40° Coverage, Bi-Amplified.	5,513.00
VP7212/64DPDA	Same as above with DPDA input module	VP7212/64DP (Optional AES/EBU Module)	6,946.00
VP7212/95DP	Powered 12" two-way full-range loudspeaker system	Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-Amplified.	5,513.00
VP7212/95DPC	COMPACT 15" 2-WAY POWERED	Compact Powered High-Output 2-way Full-Range Loudspeaker With 1 x 12" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-	3,749.00
VP7212/95DPDA	Same as above with DPDA input module	VP7212/95DP (Optional AES/EBU Module)	6,946.00
VP7212M-CVR	VP7212M- SOFT COVER	Padded Cover for VP7212M	158.00
VP7212MDP	S/M, VP7212MDP	Powered High-Output 2-Way Stage-Monitor Loudspeaker with 1 x 12" LF & 1 x 1.5" Exit HF 50° x 90° Coverage, Bi-Amplified.	3,838.00
VP7215/64DP	Powered 15" two-way full-range loudspeaker system	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified.	5,964.00
VP7215/64DPDA	With DPDA input module	VP7215/64DP (Optional AES/EBU Module)	7,397.00
VP7215/95DP	Powered 15" two-way full-range loudspeaker system	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified.	5,964.00
VP7215/95DPC	COMPACT 15" 2-WAY POWERED	Compact Powered High-Output 2-way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-	4,190.00
VP7215/95DPDA	With DPDA input module	VP7215/95DP (Optional AES/EBU Module)	7,397.00
VP7315/64DP	Powered 15" three-way full-range loudspeaker system	Powered High-Output 3-Way Full-Range Loudspeaker with 1 x 15" LF, 1 x 8" MF, & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-	7,970.00
VP7315/64DPDA	With DPDA input module	VPSB6118DP (Optional AES/EBU Module)	9,403.00
VP7315-ACC	VP7315-ACC - SOFT COVER & DOLLY BOARD	Accessory Kit for VP7315. Includes Padded Cover and Dolly Wheelboard.	1,113.00
VPSB7118DP	Powered 18" subwoofer	Powered High-Output Single 18" Subwoofer. Eight 3" Flytrack and Twenty-Four M10 Suspension Points. Suspension Requires	5,513.00
VPSB7118DPDA	With DPDA input module	VPSB6118DP (Optional AES/EBU Module)	6,946.00
YM7212-15	S/M YM7212-15	Yoke Mount (Pan & Tilt) for VP7212 and VP7215 Loudspeaker Systems	1,181.00
8124	4" CEILING SPKR W/ X-FORMER (4PCS P/Ctn)	4" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), high 93 dB sens, 60 Hz to 18 kHz, for non-	36.00
8128	8" CEILING SPKR W/ X-FORMER (4PCS P/Ctn)	8" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), very high 97 dB sens, 50 Hz to 16 kHz, for	47.00
8138	FULL RANGE LOUDSPEAKERS (4PCS PER CTN)	8" Ceiling Speaker for Pre-Install Backcan, stylish look, for use with MTC-81B88 backcan and MTC-81T88 tile bridge, or	50.00
AWC129	All-Weather Co-ax, 12" 2-way, Light Gray	12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 300 mm (12 in) Kevlar-	945.00
AWC129-BK	All-Weather Co-ax, 12" 2-way, Black	12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 300 mm (12 in) Kevlar-	945.00
AWC82	All-Weather Co-ax, 8" 2-way, Light Gray	8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 200 mm (8 in) Kevlar-	505.00
AWC82-BK	All-Weather Co-ax, 8" 2-way, Black	8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 200 mm (8 in) Kevlar-	505.00
AWC159	15" All Weather Compact Coax (Light Gray)	15" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 380 mm (15 in) Kevlar-	1,450.00
AWC159-BK	15" All Weather Compact Coax (Black)	15" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 380 mm (15 in) Kevlar-	1,450.00
AWC15LF	All Weather Compact Subwoofer (Light Gray)	15" All-Weather Compact Low Frequency Loudspeaker. 380 mm (15 in) Kevlar-reinforced cone with 75 mm (3 in) voice coil.	1,100.00
AWC15LF-BK	All Weather Compact Subwoofer (Black)	15" All-Weather Compact Low Frequency Loudspeaker. 380 mm (15 in) Kevlar-reinforced cone with 75 mm (3 in) voice coil.	1,100.00
C24CT MICROPLUS	CONTROL MICRO W/25 WATT TRANSFORMER	Medium Output Ceiling Speaker Assembly. Complete Assembly Includes Backcan, Grille and Tile Rails. Very Wide 150°	132.00
C24CT-BK	CONTROL 24CT WITH TRANSFORMER BLACK	Control 24CT in Black. 4" two-way vented ceiling speaker, 80 Hz - 20 kHz, 86 dB sensitivity, 80W program and 40W pink noise	146.00
C25AV-LS	UL Life Safety Version of C25AV	Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille, UL1480/UUMW	244.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
C25AV-LS-WH	UL Life Safety Version of C25AV, in White	Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille, UL1480/UUMW	244.00
C26CT-LS	6.5" CEILING SPKR W/X-FRMR(2PR Per CTN)	Professional Ceiling Speaker for Life-Safety Applications.	212.00
C29AV-1	8" 2-WAY MONITOR SPEAKER	High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps	490.00
C29AV-WH-1	8" 2-WAY MONITOR SPEAKER-WHITE	High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps	490.00
C50PACK	CONTROL 50 PK (1subwoofer + 4 Satellite)	Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc Control 50S/T and 4 pcs Control 52, 30 – 20 kHz response,	641.00
C50PACK-WH	CONTROL 50 PK (1subwoofer + 4 Satellite)	Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc Control 50S/T and 4 pcs Control 52, 30 – 20 kHz response,	641.00
C60PS/T	C60 PENDANT SUBWOOFER	High impact, 150 Watt direct radiating pendant subwoofer with built-in passive crossover for up to four satellite speakers. 200	415.00
C60PS/T-WH	C60 PENDANT SUBWOOFER - White	High impact, 150 Watt direct radiating pendant subwoofer with built-in passive crossover for up to four satellite speakers. 200	415.00
C62P	Ultra-Compact Mid/High Pendant w 2"	Ultra-Compact Mid-High Satellite Pendant Speaker. 2" driver, ideal for speech and mid-high music and for visually sensitive	105.00
C62P-WH	Ultra-Compact Mid/High Pendant w 2"	Ultra-Compact Mid-High Satellite Pendant Speaker. 2" driver, ideal for speech and mid-high music and for visually sensitive	105.00
C65P/T	Compact Full-Range Pendant Spkr w 5-1/4"	Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & silk dome HF, RBI Radiation Boundary Integrator®	235.00
C65P/T-WH	Compact Full-Range Pendant Spkr w 5-1/4"	Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & silk dome HF, RBI Radiation Boundary Integrator®	235.00
C67HC/T	Narrow-Coverage Pendant Spkr w 6-1/2"	Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary	400.00
C67HC/T-WH	Narrow-Coverage Pendant Spkr w 6-1/2"	Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary	400.00
C67P/T	Extended-Bass Pendant Spkr w 6-1/2"	Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator®	340.00
C67P/T-WH	Extended-Bass Pendant Spkr w 6-1/2"	Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator®	340.00
CBT 100LA-1	Line array column, 100 cm tall, 16 2"	Straight Line Array Column with 16 x 2" Drivers and Constant	920.00
CBT 100LA-1-WH	Line array column, 100 cm tall, 16 2"	Straight Line Array Column with 16 x 2" Drivers and Constant	920.00
CBT 100LA-LS	(EN54 Life/Safety) Line array column, 100 cm tall, 16 2"	(EN54 Life/Safety) Straight Line Array Column with 16 x 2" Drivers and Constant	1,030.40
CBT 100LA-LS-WH	(EN54 Life/Safety) Line array column, 100 cm tall, 16 2"	(EN54 Life/Safety) Straight Line Array Column with 16 x 2" Drivers and Constant	1,030.40
CBT 200LA-1	2 METER TALL, 32 ELEMENT LINE ARRAY	200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column with Thirty-Two 50 mm (2 in) Drivers. Patented CBT	2,150.00
CBT 200LA-1-WH	2 METER TALL, 32 ELEMENT LINE ARRAY	200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column with Thirty-Two 50 mm (2 in) Drivers. Patented CBT	2,150.00
CBT 50LA-1	Compact line array column, 100 cm tall, 16 2"	50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music	505.00
CBT 50LA-1-WH	Compact line array column, 100 cm tall, 16 2"	50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music	505.00
CBT 50LA-LS	50CM Tall Column Spkr, EN54 1 per carton, 1 per Masterpack	50CM Tall Column Spkr, EN54 1 per carton, 1 per Masterpack	545.00
CBT 50LA-LS-WH	50CM Tall Column Spkr, WH,EN54 1 per carton, 1 per Masterpack	50CM Tall Column Spkr, WH,EN54 1 per carton, 1 per Masterpack	545.00
CBT 70J-1	High-Power J-shaped line array column	70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth	1,296.67
CBT 70J-1-WH	High-Power J-shaped line array column	70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth	1,296.67
CBT 70JE-1	S/M, CBT 70JE	70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W	735.00
CBT 70JE-1-WH	S/M, CBT 70JE	70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W	735.00
CONTROL 126W	6.5"2-way inwall SPKR 2per ctn	Premium In-Wall Two-Way Loudspeaker with 6-1/2" (165 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure	200.00
CONTROL 126WT	6.5"2-way inwall SPKR 2per ctn	Control 126W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 30W, 15W, and 7.5W (Plus	221.00
CONTROL 128W	8"2-way inwall spkr 2per ctn.	Premium Quality In-Wall Two-Way Loudspeaker with 8" (200 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With	246.00
CONTROL 128WT	8"2-way inwall spkr 2per ctn.	Control 128W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 50W, 25W, and 12W (Plus 6W	271.00
CONTROL 12C/T	3" FULL-RANGE CEILING SPKR (2 PER CTN)	Compact Ceiling Loudspeaker with 76 mm (3 in) Full-Range Driver. 68 Hz – 17 kHz bandwidth, wide 130° coverage, 84 dB	83.00
CONTROL 12C/T-BK	3" FULL-RANGE CEILING SPKR (2 PER CTN), BLK	Compact Ceiling Loudspeaker with 76 mm (3 in) Full-Range Driver. 68 Hz – 17 kHz bandwidth, wide 130° coverage, 84 dB	83.00
CONTROL 14C/T	4" CO-AX CEILING SPKR (2 PER CTN)	Two-Way 100 mm (4 in) Co-axial Ceiling Loudspeaker. 100 mm (4 in) high output driver with polypropylene cone and butyl	116.50
CONTROL 14C/T-BK	4" CO-AX CEILING SPKR (2 PER CTN), BLK	Two-Way 100 mm (4 in) Co-axial Ceiling Loudspeaker. 100 mm (4 in) high output driver with polypropylene cone and butyl	116.50
CONTROL 16C/T	6-1/2" CO-AX CEILING SPKR (2 PER CTN)	Two-Way 165 mm (6.5 in) Co-axial Ceiling Loudspeaker. 165 mm (6.5 in) high output driver with polypropylene cone and butyl	149.50
CONTROL 16C/T-BK	6-1/2" CO-AX CEILING SPKR (2 PER CTN), BLK	Two-Way 165 mm (6.5 in) Co-axial Ceiling Loudspeaker. 165 mm (6.5 in) high output driver with polypropylene cone and butyl	149.50
CONTROL 19CS	8" CEILING SUBWOOFER (2 PER CARTON)	8" In-Ceiling Subwoofer, Nested Chamber™ Design, Linear Aperture™ Port, 42Hz – 200Hz, 200W Program and 100W Pink	264.00
CONTROL 19CST	8" CEILING SUB W/X-FORMER (2 PER CARTON)	Control 19CS with Subwoofer Based Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W	286.00
CONTROL 226C/T	6" CEILING SPKR W BACK CAN 2PER CTN	6.5" Coax Ceiling Loudspeaker. True-Broadband 120° Coverage. 150 Watts, 47 Hz to 19kHz Frequency Response, 90 dB	368.00
CONTROL 227C	6" CEILING SPEAKER ON A BAFFLE	6.5" Coax Ceiling Loudspeaker with Compression Driver. Broadband 120° Coverage. 150 Watts, 43 Hz to 19kHz Frequency	293.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
CONTROL 227CT	6" CEILING SPEAKER ON A BAFFLE	Control 227C with Pre-Attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68 W, 34W and 17W (plus 8.5W at 70V	334.00
CONTROL 23	3.5" 2-WAY/HORN,BRKT INCL	3.5" Two-Way Vented System, Invisible® Installation System, 50W Program Power, 8 ohms. Black, Priced as Each, Packed as	132.00
CONTROL 23T	3.5" 2-WAY TRANSFORMER	Control 23 with Transformer. For use on 70.7V and 100V Distributed Lines, Single Power Tap, 5W at 70V, 10W at 100V. Black,	145.00
CONTROL 23T-WH	3.5" 2-WAY TRANSFORMER-WHITE	Control 23 with Transformer. For use on 70.7V and 100V Distributed Lines, Single Power Tap, 5W at 70V, 10W at 100V. In	145.00
CONTROL 23-WH	3.5" 2-WAY/HORN/BRKT,WHITE	3.5" Two-Way Vented System, Invisible® Installation System, 50W Program Power, 8 ohms. In white, Priced as Each, Packed	132.00
CONTROL 24C	4" COAX CEILING SPKR ASSY (2 PER CTN)	4" Two-Way Vented Ceiling Speaker, 80Hz – 20kHz, 86dB Sensitivity, 80W Program and 40W Pink Noise Power Capacity,	134.00
CONTROL 24C MICRO	4" COMPACT CEILING SPKR 8mstrpk	4" Two-Way Ceiling Speaker, 15W Pink Noise, 30W Program Power Capacity. 8 ohms, Shallow 4" Back Depth. For	87.00
CONTROL 24CT	4" CEILING SPKR W/X-FORMER (2 PER CTN)	Control 24C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 30W, 15W and 7.5W (Plus	146.00
CONTROL 24CT MICRO	4" COMPACT CEILING SPKR W/TRANS 8mstrpk	Control 24C Micro with Transformer. For use on a 70.7V or 100V Distributed Line. Taps are 8W, 4W and 2W, 1W (and 1/2W	92.00
CONTROL 25	5.25" 2-WAY W/HORN,	5.25" Two-Way Vented System, Built-In Invisible® Installation System, 150W Program Power, 8 ohms. Black, Priced as Each,	173.00
CONTROL 25AV	5.25" 2-WAY W/HORN/AUDIO-VIDEO VERSION	Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor, Stainless Steel	226.00
CONTROL 25AV-WH	5.25" 2-WAY W/HORN/AUDIO-VIDEO VERSION	Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor, Stainless Steel	226.00
CONTROL 25T	5.25" 2-WAY TRANSFORMER	Control 25 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 30W , 15W and 7.5W (Plus	195.00
CONTROL 25T-WH	5.25" 2-WAY TRANSFORMER-WHITE	Control 25 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 30W , 15W and 7.5W (Plus	195.00
CONTROL 25-WH	5.25" 2-WAY, WHITE	5.25" Two-Way Vented System, Built-In Invisible® Installation System, 150W Program Power, 8 ohms. In white, Priced as	173.00
CONTROL 26C	6.5" COAX CEILING SPEAKER (2 PER CARTON)	6.5" Two-Way Vented Ceiling Speaker, 75Hz – 20kHz, 89dB Sensitivity, 150W Program and 75W Pink Noise Power Capacity,	174.00
CONTROL 26CT	6.5" CEILING SPKR W/X-FRMER(2PR Per CTN)	Control 26C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus	196.00
CONTROL 26-DT	CEILING SPKR-Xfrmr no Backcan 2ea Carton	200 mm (8 inch) Ceiling Speaker Transducer Assembly. Driver, Crossover Network and 70V/100V Transformer Assembly. Fits	126.00
CONTROL 28	8" 2-WAY W/HORN,BRKT	8" Two-Way Vented System, Built-In Invisible® Installation System, 175W Power Program, 8 ohms. Black, Priced as Each,	303.00
CONTROL 28T-60	8" 2-WAY 60W TRANSFORMER	Control 28 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 60W , 30W and 15W (Plus	317.00
CONTROL 28T-60-WH	8"2-WAY 60W TRANS WHITE	Control 28 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 60W , 30W and 15W (Plus	317.00
CONTROL 28-WH	8" 2-WAY W/HORN,BRKT	8" Two-Way Vented System, Built-In Invisible® Installation System, 175W Power Program, 8 ohms. White, Priced as Each,	303.00
CONTROL 30	10" 3/WAY COMPACT WR W/TRANSFORMER	High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers.	858.00
CONTROL 30-WH	10" 3/WAY COMPACT WR W/TRANSFORMER	High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers.	858.00
CONTROL 312CS	12" CEILING SUBWOOFER	12" In-Ceiling Subwoofer. 400 Watts, 30 Hz – 4.5 kHz Frequency Response, 93 dB Sensitivity. 14.4" Square Ported Baffle x 6.3"	559.00
CONTROL 321C	12" CEILING COAX	Premium 12" Coax Ceiling Loudspeaker. True-Broadband 90° Coverage. 250 Watts, 34 Hz to 18 kHz Frequency Response, 94	450.00
CONTROL 321CT	C321C W/60W X-FORMER	Control 321C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W and 17W (Plus 8.5W at 70V	496.00
CONTROL 322C	HIGH OUTPUT 12' CEILING COAX	High-Power 12" Coax Ceiling Loudspeaker with Medium Format Compression Driver. True Broadband 90° Coverage. 400	655.00
CONTROL 322CT	C 322C W/100W X-FORMER	Control 322C with pre-attached 100 Watt 70V/100V Multi-Tap Transformer. Taps at 100W, 50W & 25W (Plus 12.5W at 70V	712.00
CONTROL 328C	8" CEILING COAX	8" Coax Ceiling Speaker with 12" Waveguide. Broadband 120° Coverage. 250 Watts, 45 Hz to 18 kHz Frequency Response, 93	365.00
CONTROL 328CT	8" CEILING COAX W/60W X-FORMER	Control 328C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W & 17W (Plus 8.5W at 70V Only),	411.00
CONTROL 40CS/T	PREMIUM IN-CEILING SUBWOOFER	Direct-Radiating In-Ceiling Subwoofer with 8" driver, built-in crossover network with outputs for 2 or 4 pcs of Control 42C	389.00
CONTROL 42C	PREMIUM IN-CEILING SATELLITE	Ultra-Compact Satellite Speaker for use with Control 40CS/T of 50S/T subwoofer, 140 Hz - 20 kHz, 82 dB sens, 30W program	84.00
CONTROL 45C/T	Two-Way 5.25" Coaxial Ceiling Loudspeaker	Extremely consistent 120° broadband pattern control featuring JBL's exclusive conical Radiation Boundary Integrator® (RBI™)	240.00
CONTROL 47C/T	PREMIUM IN-CEILING COAX w/6.5"	Wide-coverage, extended bass ceiling spkr feature RBI. 6.5" two-way, 120 deg consistent coverage, 55 Hz - 20 kHz, 91 dB sens,	278.00
CONTROL 47HC	PREMIUM HIGH-CEILING COAX w/ 6.5"	High-ceiling, narrow-coverage version of C47 featuring RBI technology. Specs same as C47C/T except: Well-defined 75 deg	336.00
CONTROL 47LP	PREMIUM LOW-PROFILE CEILING	Low-Profile version of C47D/T featuring RBI technology. Specs same as C47C/T except only 142 mm (5.6 in) deep, 68 Hz to 20	239.00
CONTROL 50S/T	CONTROL 50CS/T SUBWOOFER (1pc per ctn)	Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) long-throw woofer, 100W cont pink noise (400W	394.00
CONTROL 50S/T-WH	CONTROL 50CS/T SUBWOOFER WHITE	Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) long-throw woofer, 100W cont pink noise (400W	394.00
CONTROL 52	CONTROL 52C SATELLITE	Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with C50S/T or C50CS/T subwoofer or requires external high-	70.00
CONTROL 52-WH	CONTROL 52C SATELLITE	Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with C50S/T or C50CS/T subwoofer or requires external high-	70.00
CONTROL HST	Control HST - Wide-Coverage On-Wall Speaker	Control HST - Wide-Coverage On-Wall Speaker	332.00
CONTROL HST-WH	Control HST - Wide-Coverage On-Wall Speaker	Control HST - Wide-Coverage On-Wall Speaker	332.00
CONTROL SB-2	10" SUBWOOFER SYSTEM	Slot-Loaded Vented Bandpass Subwoofer, Stereo, with Dual Voice-Coil 10" Transducer, Trapezoidal Enclosure for easy Corner	391.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
CONTROL SB-210	COMPACT 2-10" SUBWOOFER	Compact, Low Profile, High Power Subwoofer with 2 x 260mm (10 In) Aluminum/Ceramic Composite Cone Drivers. 400 W	713.00
CONTROL SB-210-WH	COMPACT 2-10" SUBWOOFER, WHITE	Compact, Low Profile, High Power Subwoofer with 2 x 260mm (10 In) Aluminum/Ceramic Composite Cone Drivers. 400 W	713.00
CONTROLCRV	CONTROL CRV	Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W cont pink	261.00
CONTROLCRV-WH	CONTROL CRV WHITE	Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W cont pink	261.00
CSS-1S/T	2-way Surface-Mount Speaker with 8-ohm..	Compact 2-Way 100V/70V/8Ω Surface-Mount Loudspeaker. 5½" LF and ¾" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap Transformer	130.00
CSS8004	S/M, CSS8004 - 4", 5W	4" Commercial Series Ceiling Speaker. 90 dB sens, 5W multi-tap for 100V/70V 25V, pre-assembled with	19.00
CSS8008	S/M, CSS8008 8", 5w	8" Commercial Series Ceiling Speaker. 96 dB sens, 5W multi-tap for 100V/70V 25V, pre-assembled with	25.00
CSS8018	S/M, CSS8018 8", 10W	8" Commercial Series Ceiling Speaker. Very high 97 dB sens, 10W multi-tap for 100V/70V 25V, pre-assembled with	34.00
CSS-BB4X6	S/M, CSS-BB4X6-- 4" BACKCAN (1=6 PCS)	Pack of 6 pcs of 4" backcans for CSS8004. Steel, zinc-plated, powder-coated, 4.8" (121mm) deep, 5 knockouts (priced an sold	52.00
CSS-BB8X6	CSS-BB8X6 8" BACKCAN (1 = 6 PCS)	Pack of 6 pcs of 8" backcans for CSS8008 or CSS8018. Steel, zinc-plated, powder-coated, 4.8" (121 mm) deep, 5 knockouts	94.00
CSS-H15	15 Watt Paging Horn (6 in masterpack)	15 Watt Paging Horn (6 in masterpack)	95.00
CSS-H30	30 Watt Paging Horn (4 in masterpack)	30 Watt Paging Horn (4 in masterpack)	130.00
CSS-TR4/8X12	TILE RAILS for 8"84" (1EA=12ea/Single ctn)	Pack of 12 pcs tile rails for CSS-BB4 and CSS-BB8 backcans. Steel, zinc-plated, 2 pcs tile rails req'd per backcan for drop-	28.00
MTC-126RIF	Rough in Kit for C126W/WT ,6 sets Mstr CTN	Rough-In Frame for Installing Control 126W to Studs in New Construction. Sold in Pairs, Priced as Each.	27.00
MTC-128RIF	Rough in Kit for C128W/WT - per set. ,6per Mstr CTN	Rough-In Frame for Installing Control 128W to Studs in New Construction. Sold in Pairs, Priced as Each.	27.00
MTC-14WG	WEATHER GRILLE C12,C14 WH (2ea per ctn)	Weather Grille Accessory for Control 12C/T (White) and 14C/T (White). Aluminum, powder-coated, passed B117 salt-spray	18.00
MTC-14WG-BK	WEATHER GRILLE C12, C14, Black (2ea per ctn)	Weather Grille Accessory for Control 12C/T (Black) and 14C/T (Black). Aluminum, powder-coated, passed B117 salt-spray 200	18.00
MTC-16WG	WEATHER GRILLE C16 WH (2ea per ctn)	Weather Grille Accessory for Control 16C/T (White). Aluminum, powder-coated, passed B117 salt-spray 200 hours, UV 100	22.00
MTC-16WG-BK	WEATHER GRILLE C16, Black (2ea per ctn)	Weather Grille Accessory for Control 16C/T (Black). Aluminum, powder-coated, passed B117 salt-spray 200 hours, UV 100	22.00
MTC-19MR	MUD RING BRACKET, C19C/19CT (EA=6)	Optional Mud (Plaster) Ring Construction Bracket for Control 19CS, Control 19CST, and Control 226C/T. Installs before	212.00
MTC-19NC	NEW CONSTRUCTION BRKT,C19C/19CT (EA=6)	Optional New Construction Bracket for Control 19CS, Control 19CST, Control 226C/T, MTC-300BB8 and MTC-200BB6. Installs	154.00
MTC-200BB6	BACKBOX FOR 6" C200	Backcan for Control 227C & CT. Round with extra-thick 16-gauge steel and heavy-duty 1/2" MDP reinforcement on top panel.	67.00
MTC-210UB	MOUNTING BRACKET, FOR CONTROL SB-210	U-Bracket for Control SB-210 Subwoofer, Black.	95.00
MTC-210UB-WH	MOUNTING BRACKET, FOR CONTROL SB-210	U-Bracket for Control SB-210 Subwoofer, White	95.00
MTC-23CM	CEILING MT. ADPT C/23-1PR PER BOX	Ceiling-Mount Adapter for Control 23, Black. Each Pack Contains 2 Pieces.	15.00
MTC-23CM-WH	CEILING MT. ADPT C/23-1PR PER BOX-WHITE	Ceiling-Mount Adapter for Control 23, White. Each Pack Contains 2 Pieces.	15.00
MTC-23SSG	C23--STAINLESS STEEL GRILLE	Stainless Steel Replacement Grille for Control 23 Models, Silver.	15.00
MTC-23SSG-BK	C23-STAINLESS STEEL GRILLE-BLK	Stainless Steel Replacement Grille for Control 23 Models, Black	15.00
MTC-23SSG-WH	C23-STAINLESS STEEL GRILLE-WHITE	Stainless Steel Replacement Grille for Control 23 Models, White	15.00
MTC-23V	VERTICAL ARRAYING BRACKET C23 (HOLDS 3)	Vertical-Array Wall Bracket for Three Control 23 Speakers.	89.00
MTC-23WMMG	WEATHER MAX GRILLE-CONTROL 23	WeatherMax™ Replacement Grille for Control 23 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating,	30.00
MTC-23WMMG-WH	WHITE WEATHER MAX GRILLE-CONTROL 23	WeatherMax™ Replacement Grille for Control 23 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating,	30.00
MTC-24MR	MUDRING BRKT, C24C/24CT (EA=6)	Optional Mud (Plaster) Ring Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs	126.00
MTC-24NC	NEWCNSTRCTN BRKT,C24C/CT(EA=6)	Optional New Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs before	99.00
MTC-24TR	TRIMRING/RETROFIT C24 (1=10PCS)	Trim Ring for Retrofit Installations of Control 24 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10	152.00
MTC-25/23H	HORIZ ARRAY BRKT C25/C23, 3/360 DEGREES	Horizontal-Array Bracket for Two Control 23s or Control 25s, 60° Splay, Three Brackets Connect to Form Suspensible	87.00
MTC-25SSG	C25--STAINLESS STEEL GRILLE	Stainless Steel Replacement Grille for Control 25 Models, Silver.	21.00
MTC-25SSG-BK	C25-STAINLESS STEEL GRILLE-BLK	Stainless Steel Replacement Grille for Control 25 Models, Black	21.00
MTC-25SSG-WH	C25-STAINLESS STEEL GRILLE-WHITE	Stainless Steel Replacement Grille for Control 25 Models, White	21.00
MTC-25V	VERTICAL ARRAYING BRACKET C25 (HOLDS 3)	Vertical-Array Wall Bracket for Three Control 25 Speakers.	90.00
MTC-25WMMG	WEATHER MAX GRILLE-C25/ C25AV	WeatherMax™ Replacement Grille for Control 25 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating,	38.00
MTC-25WMMG-WH	WHITE WEATHER MAX GRILLE-C25T & C25AV	WeatherMax™ Replacement Grille for Control 25 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating,	38.00
MTC-26MR	MUDRING BRKT, C26C/26CT (EA=6)	Optional Mud (Plaster) Ring Construction Bracket for Control 26C and Control 26CT, Installs before Sheetrock, Integral Ring	154.00
MTC-26NC	NEW CONSTRUCTION BRKT,C26C/26CT (EA=6)	Optional New Construction Bracket for Control 26C and Control 26CT, Installs Before Sheetrock as Cutout Template. Each Pack	114.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
MTC-26TR	TRIMRING/RETROFIT C26 (1=10PCS)	Trim Ring for Retrofit Installations of Control 26 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10	152.00
MTC-28/25CM	CEILING MT. ADPT C/28/C25-1PR PER BOX	Ceiling-Mount Adapter for Control 28 and Control 25, Black. Each Pack Contains 2 Pieces.	27.00
MTC-28/25CM-WH	CEILING MT. ADPT C28/C25-1PR PER BOX-WHT	Ceiling-Mount Adapter for Control 28 and Control 25, White. Each Pack Contains 2 Pieces.	27.00
MTC-28H	HORIZ ARRAY BRKT C28, 3 FOR 360 DEGREES	Horizontal-Array Bracket for Two Control 28s, 60° Splay, Three Brackets Connect to Form Suspensible Assembly for Three or	91.00
MTC-28SSG	C28--STAINLESS STEEL GRILLE	Stainless Steel Replacement Grille for Control 28, Silver.	37.00
MTC-28SSG-BK	C28-STAINLESS STEEL GRILLE-BLK	Stainless Steel Replacement Grille for Control 28, Black	37.00
MTC-28SSG-WH	C28-STAINLESS STEEL GRILLE-WHITE	Stainless Steel Replacement Grille for Control 28, White.	37.00
MTC-28V	VERTICAL ARRAYING BRACKET C28 (HOLDS 3)	Vertical-Array Wall Bracket for Three Control 28 Speakers.	97.00
MTC-28WWMG	WEATHER MAX GRILLE- C28	WeatherMax™ Replacement Grille for Control 28 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating,	61.00
MTC-28WWMG-WH	WHITE WEATHER MAX GRILLE-C28	WeatherMax™ Replacement Grille for Control 28 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating,	61.00
MTC-29CM	CEILING MOUNT ADAPTER, FOR C29AV	Ceiling-Mount Adapter for Control 29AV, Black. Each Pack Contains 1 Piece.	28.00
MTC-29CM-WH	CEILING MT ADAPTER/C29AV-WH	Ceiling-Mount Adapter for Control 29AV, White. Each Pack Contains 1 Piece.	28.00
MTC-29UB	MOUNTING BRACKET, FOR CONTROL 29AV	U-Bracket for Control 29AV.	81.00
MTC-29UB-WH	MOUNTING BRACKET, FOR CONTROL 29AV	U-Bracket for Control 29AV, in White.	81.00
MTC-300BB12	BACKBOX FOR 12" C300	Best-in-Class Three Cubic Foot Back Box for 12" Models. Rectangular with Extra-Thick 16 Gauge Metal and Heavy Duty ½"	245.00
MTC-300BB8	BACKBOX FOR 8" C300	One Cubic Foot Back Box for 8" Models. Round with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on	84.00
MTC-300SG12	SQUARE GRILLE FOR 12" C300	Contemporary Square Grille for 12" Models. Fashionable Upscale Look, White, Metal, 16.3" x 16.3" x 0.4" Deep. NOW UL	39.00
MTC-300T150	150W TRANSFORMER C300	150 Watt Transformer for Higher Output from a 70V or 100V System. Use with Non-T Version Loudspeakers. Mounts to Tabs	82.00
MTC-30CM	CEILING MOUNT ADAPTER, FOR CONTROL 30	Ceiling-Mount Adapter for Control 30, Black. Contains 1 Piece.	35.00
MTC-30CM-WH	CEILING MOUNT ADAPTER, FOR C30-WH	Ceiling-Mount Adapter for Control 30, White. Contains 1 Piece.	35.00
MTC-30MK	GRILLE KIT TO PREVENT RUSTING - BLACK.	Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra durability when installing Control 30's in challenging	144.00
MTC-30MK-WH	GRILLE KIT TO PREVENT RUSTING - WHITE.	Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra durability when installing Control 30's in challenging	144.00
MTC-30UB	MOUNTING BRACKET, FOR CONTROL 30	U-Bracket for Control 30, black.	88.00
MTC-30UB-WH	MOUNTING BRACKET, FOR CONTROL 30-WH	U-Bracket for Control 30, white.	88.00
MTC-42MR	MUD RING BRACKET FOR CONTROL 42C (1=6 pcs)	Mud-Ring Construction Brackets for C42C (each pack contains 6 pcs)	138.00
MTC-42NC	NEW CONSTRUCTION RING FOR C42 (1=6 pcs)	New Construction Ring Brackets for Control 42C (each pack contains 6 pcs)	101.00
MTC-47MR	MUD RING BRACKET FOR C47C/T & C47LP (1=6 pcs)	Mud-Ring construction Brackets for C47C/T & C47LP (each pack contains 6 pcs)	226.00
MTC-47NC	NEW CONSTRUCTION RING C47C/T & 47LP (1=6pcs)	New construction Brackets for C47C/T & C47LP (each pack contains 6 pcs)	161.00
MTC-48TRx12	48" LONG TILE RAIL	Tile rails for using many of JBL's ceiling speaker in 1200 mm (48 in) ceiling tile grid systems. Inverted-V design. Can be used	250.00
MTC-8124C	C - RING for 8124	C-ring for 8124, for installations requiring C-ring to spread ceiling loading. Integral clips for optional MTC-Rail tile rails.	14.00
MTC-8128C	C-RING for 8128	C-ring for 8128 (Priced as each, sold in packages of 4 pcs (for 4 speakers)	16.00
MTC-81BB8	DEEP BACK CAN FOR 8138 (4 PCS PER CTN)	Pre-Install backcan for 8138, 7.4 liter, 7"H x 11-3/4" dia, 11-1/4" mounting circle, 16 gauge steel, e-coated (priced as each sold	34.00
MTC-81TB8	TILE BRIDGE 8138 & 81BB8 (4PC PR CTN)	Tile Bridge for MTC-81BB8 backcan, 19 gauge steel with e-coating (priced as each, sold in packs of 4 pcs)	18.00
MTC-CBT-70T	BOLT ON TRANSFORMER MODULE	Bolt on Transformer Module to allow CBT70J-1 or CBT70JE-1 Speaker to be used on 70V/100V Distributed Line Speaker.	120.00
MTC-CBT-70T-WH	BOLT ON TRANSFORMER MODULE - WHITE	Bolt on Transformer Module to allow CBT70J-1 or CBT70JE-1 Speaker to be used on 70V/100V Distributed Line Speaker.	120.00
MTC-CBT-FM1	CBT FLUSH-MOUNT WALL BRACKETS	"Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1	40.00
MTC-CBT-FM1-WH	CBT FLUSH-MOUNT WALL BRACKETS	"Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1	40.00
MTC-CBT-FM2	CBT FLUSH-MOUNT WALL BRACKETS	"Flush-Mount" Wall Bracket for CBT70J-1 and 70J-1/JE-1	55.00
MTC-CBT-FM2-WH	CBT FLUSH-MOUNT WALL BRACKETS	"Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1	55.00
MTC-CBT-SMB1	STAND MOUNT BRACKET FOR CBT	STAND MOUNT BRACKER FOR CBT	59.00
MTC-PC2	SEALED PANEL Cover-CC (1=2 pcs)	Panel Cover Provides Liquid-Tight Sealed Entrance for Input Terminal, also functions as Strain Relief, fits all Surface Models	24.00
MTC-PC60	TERMINAL COVER for C65, C67 P/T & C67HCT	TERMINAL COVER for C65, C67 P/T & C67HCT	13.00
MTC-PC62	TERMINAL COVER for C62P	TERMINAL COVER for C62P	9.00
MTC-RAIL	TILE RAIL FOR 8124 & 8128	Tile rails for 8124, 8128 (requires MTC-8124C or MTC-8128C c-rings) or for C42C speaker (with included c-ring), (priced as	10.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
MTC-RG6/8	GRILLE FOR C328, C227	*Previously MTC-300RG8*. Contemporary Round Grille for Control 227C/CT 6.5" and 328C/CT 8" Models". Fashionable	28.00
MTC-SB210-SAT	CROSSOVER MODULE FOR SB210	Adds Passive Crossover Network with High-Passed Output for Satellite Speakers and Internal Low-Pass. Stereo or Mono	146.00
MTC-SB210T	70V/100V TRANSFORMER MODULE FOR SB210	Adds 70V/100V transformers for operating SB210 on distributed spkr lines. Taps at 125W+125W, 62W+62W, 31W+31W (and	163.00
MTC-SB210T-SAT	X-OVER & X-FORMER MODULE, SB210	Adds 70V/100V transformers for operating SB210 on distributed spkr lines. Taps at 125W+125W, 62W+62W, 31W+31W (and	230.00
MTC-SB2C	CEILING SUSPENSION BRACKET FOR SB-2	Bracket for Suspending Control SB-2 from a Ceiling.	92.00
MTC-SB2W	WALL/CORNER BRKT FOR SB-2	Bracket for Installing Control SB-2 to Wall or Corner.	126.00
MTC-SG6/8	SQUARE GRILLE FOR C328, C227	Contemporary Square Grille for Control 200 & 300 Series 6.5" Medium-Format and 8" Large-format Coaxial Ceiling	49.00
MTC-TCD	THICK-CEILING DOGEARS (1=24 pcs)	Thick-ceiling dogears for ceilings up to 60 mm (2.5 in) thick. Fits C24C/CT Micro & MicroPlus, C24C/CT, C26C/CT, C19CS/CST.	8.40
MTC-ThinC-EAR	THIN-CEILING DOG-EARS	Thin-ceiling dog-ears for when ceilings (or walls) are thin. Fits C24C/CT Micro & MicroPlus, C24C/CT, C26C/CT, C19CS/CST. 1	8.00
MTC-TB6/8	TILE-BRIDGE FOR MTC-200BB6 & MTC-300BB8	Tile Bridge for Medium (C227C & C227CT) and Large (C328 & C328CT) Format Ceiling Speakers. 18-Gauge steel. 25.4" x 16.3"	24.00
PMB-BK	POLE MOUNT BRACKET FOR CCRV	Pole-mount bracket for combining 4 pcs of Control CRV into a 360° round arc cluster, for attachment via fan pole. (priced and	53.00
PMB-WH	POLE MOUNT BRACKET FOR CCRV	Pole-mount bracket for combining 4 pcs of Control CRV into a 360° round arc cluster, for attachment via fan pole. (priced and	53.00
C1PRO	CONTROL 1PRO	Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet, Black.	106.00
C1PRO-WH	CONTROL 1PRO WHITE	Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet,	106.00
C2PM	CONTROL 2P MASTER POWERED SPEAKER	One Control 2P Powered Master speaker, (without passive extension speaker) and power supply.	200.00
C2PS	CONTROL 2P 2-SPEAKER SYSTEM	Control 2P Stereo Set. Includes one C2PM powered master, one Passive Extension Speaker, one Power Supply and two Snap-	260.00
CONTROL 5	PERS CONTROL MONITOR-BL (2/BX)	Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded Magnet, Black,	218.00
CONTROL 5-WH	PERS CONTROL MONITOR-WH 2/BX	Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded Magnet, White,	218.00
MTC-2P	MOUNTING KIT FOR C2PS	Wall-Mount Bracket Kit for Control 2P. Includes Two Wall Mounts, Not Recommended For Mobile Applications.	26.00
C1PRO	CONTROL 1PRO	Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet, Black.	106.00
C1PRO-WH	CONTROL 1PRO WHITE	Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet,	106.00
C2PM	CONTROL 2P MASTER POWERED SPEAKER	One Control 2P Powered Master speaker, (without passive extension speaker) and power supply.	200.00
C2PS	CONTROL 2P 2-SPEAKER SYSTEM	Control 2P Stereo Set. Includes one C2PM powered master, one Passive Extension Speaker, one Power Supply and two Snap-	260.00
CONTROL 5	PERS CONTROL MONITOR-BL (2/BX)	Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded Magnet, Black,	218.00
CONTROL 5-WH	PERS CONTROL MONITOR-WH 2/BX	Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded Magnet, White,	218.00
MTC-2P	MOUNTING KIT FOR C2PS	Wall-Mount Bracket Kit for Control 2P. Includes Two Wall Mounts, Not Recommended For Mobile Applications.	26.00
351145-001	RMC KIT, LSR63XX	RMC KIT, LSR6328P and LSR63125P	155.00
LSR25PTOTE	SOFT CASE FOR PAIR OF LSR25P/WHEELS	Soft Carry Case, With Wheels, Holds a Pair of LSR6325P or LSR25P.	200.00
LSR305	5-inch two-way powered studio monitor.	Bi-amplified Studio Monitor with Magnetically-Shielded 5" Low Frequency Transducer and 1" Soft-Dome High Frequency	199.99
LSR308	8-inch two-way powered studio monitor.	Bi-amplified Studio Monitor with Magnetically-Shielded 8" Low Frequency Transducer and 1" Soft-Dome High Frequency	325.00
LSR310S	10-inch powered subwoofer.	10-inch powered subwoofer.	499.00
LSR4300KIT	LSR ACCESSORY KIT	For Use with JBL LSR4328P, LSR4326P. Includes LSR4300 Measurement Microphone, Remote Control, LSR4300 Control Center	275.00
LSR4312SP	S/M LSR4312SP	Active Subwoofer amplified Monitor with DSP-Enabled RMC™ Room Mode Correction System for use LSR4328P and	1,230.00
LSR4326P	S/M, LSR4326P	Same as LSR4328P Except: Incorporates 436H 6" Polymer Coated Fiber Low Frequency Transducer with Self-Shielded	665.00
LSR4326P/PAK	Pair Spkrs incl ACC kit	LSR4326P (x2) and LSR4300 Accessory Kit (x1).	1,330.00
LSR4326P5.1	5.1 Surround Sound System	5.1 Surround System Including Five LSR4326P, One LSR43125P Subwoofer and One LSR4300 Accessory Kit. (LSR4326PAK x 1;	4,322.70
LSR4328P	S/M, LSR4328P	Bi-amplified Monitor with JBL DSP-Enabled RMC™ Room Mode Correction System. 438H 8" Polymer Coated Fiber Low	955.00
LSR4328P/PAK	Pair Spkrs incl ACC kit	LSR4328P (x2) and LSR4300 Accessory Kit (x1).	1,910.00
LSR4328P5.1	5.1 Surround Sound System	5.1 Surround System Including Five LSR4328P, One LSR43125P Subwoofer and One LSR4300 Accessory Kit. (LSR4328PAK x 1;	5,698.75
LSR6312SP	S/M, LSR6312SP	Active Subwoofer with new JBL RMC™ Room Mode Correction EQ circuit. Comprehensive bass management system	2,080.00
LSR6325P/5.1	LSR6325P-1 5pcs & 1pc LSR6312SP	5.1 Surround System with RMC Room Mode Correction and RMC Calibration Kit. Includes LSR6325P (x5) and LSR6312SP (x1)	4,726.02
LSR6325P-1	5.25" BI-AMPLIFIED MONITOR	Compact Bi-Amped Two-Way Near Field, 5.25" Low Frequency Transducer with SFG™, 1" Composite High Frequency	580.00
LSR6328P	S/M, LSR6328P	Bi-Amplified Monitor with New JBL RMC™ Room Mode Correction EQ Circuit. 8" Differential Drive® Low Frequency	1,850.00
LSR6328P/5.1	LSR6328P 5pcs & 1pc LSR6312SP	5.1 Surround System with RMC Room Mode Correction and RMC Calibration Kit. Includes LSR6328P (x5) and LSR6312SP (x1)	10,752.17

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
LSR6328P/PAK	LSR6328P/PAKS & 1pc RMC Calibration kiy	LSR6328P (x2) and an RMC Calibration Kit	3,700.00
LSR6332L	TOP ASSEMBLY, LEFT SIDE, LSR6332L	Three-Way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium Magnetically-Shielded Midrange, 1" Titanium Composite	1,910.00
LSR6332R	TOP ASSY, RIGHT SIDE (MIRRORED)	Three-way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium Magnetically-Shielded Midrange, 1" Titanium Composite	1,910.00
MSC1	MONITOR SYSTEM CONTROLLER	The MSC1 Monitor System Controller works with any speaker system providing the ability to listen to three stereo input	375.00
2516	MTG BKT-8330A/40A-(2EA/M.PK)	Quick-Mount® Fixed Angle Bracket for 8330A and 8340A. Packed 2 Pieces Per Master Pack.	35.00
2517	BRKT 8330A/8340A	Adjustable Bracket for 8330A and 8340A. Packed 2 Pieces Per Master Pack.	46.00
3635	LC-SUB,18" PRO SYSTEM	8 ohm, Single 18" Bass Reflex Subwoofer System, Shallow Profile. Components: Single 2042H, 300 watts.	861.00
3677	LC-1,15",2-WAY,PRO SYS	Single Enclosure, (Shallow Profile) Components: 2035H, 2416H-1 Driver, 2373 Horn in Shallow Depth Enclosure.	887.00
3722	2WAY SCREEN ARRAY W/NTWRK-PASSIVE APPL	Two-Way Screen Array® For Small Cinemas For Bi-Amp Applications. 400 Watts, Dual 15" Low Frequency Section (3739), with	1,129.00
3730	SCREEN ARRAY THREE-WAY CINEMA SYSTEM	Three Way ScreenArray for small to medium cinemas for Passive/Bi Amp Applications. Flat Front design for easy baffle wall	1,557.00
3731	SCREEN ARRAY THREE-WAY CINEMA SYSTEM	Three-way ScreenArray for Small to Medium Cinemas and Post Production, with single 15" LF Section. For Bi-amp	2,559.00
3732	SCREEN ARRAY THREE-WAY CINEMA SYSTEM	Three-way ScreenArray for Small to Medium Cinemas For Bi-Amp Applications. Flat Front Design for Easy Bafflewall	2,413.00
3739	LF FOR 3732 SCREEN ARRAY	4 ohm Low Frequency Section for 3732 and 3722N System Components: Two M115-8A Installed in 3639 Enclosure	765.00
4181	BASIC CINEMA SUBWOOFER	8 ohm, Single 18" Bass Reflex Subwoofer System Enclosure. 500 watts.	720.00
4641	18" SUBWOOFER	8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2241H Installed in a Single 18" Enclosure, 600 watts.	888.00
4722	2WAY SCREEN ARRAY/Bi-AMP APP-MED CINEMA	Two-Way ScreenArray for Small to Medium Cinemas For Bi-Amp Applications. 600 Watts, Dual 15" Low Frequency Section	1,640.00
4732	SCREEN ARRAY THREE-WAY CINEMA SYSTEM	Three-Way Screen Array for Medium to Large Cinemas For Bi-Amp Applications. Flat Front Design for Easy Bafflewall	3,270.00
4739	S/M, 4739	4 ohm Low Frequency Section for 3732T, 4732 and 4732T Components: Two 265H Installed in 4739 Enclosure	1,038.00
5628	Very High Power dual 18" Cinema Subwoofer	4,000 Watt, dual 2269H 18" drivers, Very High Power Cinema Subwoofer	3,150.00
5641	15" Single LOADED CABINET THEATER SYSTEM	4 ohm Low frequency Section for 3731 ScreenArray 1 x 2226 driver	800.00
5674	LARGE THREE-WAY SCREEN CHANNEL SYSTEM	Large Three-Way Screen Channel System, Quad Low Frequency Cabinet, for Tri-Amplified Applications. Components: 5644,	8,106.00
5732	5732-M/HF 1pc & 5739 1pc	Three-Way High Power ScreenArray® for Medium to Large Cinemas and Post Production Venues. For Quad Amplified	3,691.00
5739	LOW FREQUENCY for 5732 SCREEN ARRAY	4 ohm Low Frequency Section for 5732 System. Components: Two 2226HPL VGC™ Vented Gap Cooled 380mm (15") Woofers	1,328.00
5742	SYSTEM (1) 5742-M/HF & (1) 5749	Four-Way Ultra High Power ScreenArray for Large Format Cinemas. For Quad Amplified Applications. Flat Front Design for	5,423.25
5749	LOW FREQUENCY for 5742 SCREEN ARRAY	4 ohm Low Frequency Section for the 5742 System. Components: Two 2242HPL SVG™ Super Vented Gap Cooled 460mm (18")	2,187.00
8320	150W COMPACT SURROUND SPEAKER	Two-Way Surround System, 8" Low Frequency Driver, 1" Dome Tweeter, HF Protection Circuit, 8 ohms. Packed 2 Pieces Per	247.00
8350	S/M, 8350	Two-Way, Very High Power, 350 Watt Surround. Titanium High Frequency Compression Driver with Constant Coverage Horn.	546.00
9320	S/M, 9320	12", two way Cinema Surround. Ideal for multi-channel surround applications. 380mm (12") low frequency driver; 2408H-1	775.00
MTU-9320	S/M, MTU-9320	S/M, MTU-9320	54.00
2506C	BRCKT ASSM FOR 2360B/4675C-HFA	Heavy Duty Steel Adjustable-Position Mounting Bracket for 2360B, 2365A and 2366A Constant Coverage Bi-Radial® Horns	190.00
2509A	3WAY POSTION MTG BRCKT 1.5" & 2"	Three-Way Adjustable-Position Mounting Bracket for 2380 Series Flat-Front Bi-Radial® Horns and 2350 Series Bi-Radial® Horns	146.00
3252N	BASIC CINEMA 2WAYS SCREEN CHANNEL SPKR	Single Enclosure, (Shallow Profile) Components: Dual 15" Low Frequency Drivers, 2414H-C High Frequency Driver	890.00
3678-HF	HORN,COMP. DRV R ASSY	High Frequency Section with Horn Bracket for 3678 System. Components: 2425HS, 2342, Bracket.	574.00
3678-LF	15" WOOFER PRO SYSTEM	8 ohm Low Frequency Section for 3678 System. Components: 2226H Installed in 3678-LF Enclosure with Internal Crossover	973.00
3722-HF	S/M, 3722-HF	High Frequency Section for 3722 System. Bi-Am Components 2374 ScreenArray Horn, 2418H-1 Driver Pre-Assembled.	363.00
3722N	2WAY SCREEN ARRAY W/NTWRK-PASSIVE APPL	Two-way ScreenArray® for Small Cinemas For Passive Applications, 400 Watts, Dual 15" Low Frequency Section (3739), with	1,182.00
3722N-HF	S/M, 3722N-HF	High Frequency Section for 3722N System – Passive. Components: 2374 ScreenArray Horn, 2418H-1 Driver, Network and	417.00
3730-M/HF	S/M, 3730-M/HF	Mid/High Frequency Section for 3730 System. Components: One 195H mid frequency and one 2414H high frequency. Pre-	792.00
3732-M/HF	S/M, 3732-M/HF	Mid/High Frequency Section for 3732 System - Components: Two 165H Mid Frequency and One 2432H High Freq. Pre-	1,647.00
3732-M/HF-T	S/M, 3732-M/HF-T	Mid/High Frequency Section for 3732T System. Components: Two 165H Mid Frequency and One 2432H High Freq. Pre-	1,681.00
3732T	TRI-AMP 3/WAY SCREEN ARRAY-SM TO MED	Three-way ScreenArray for Small to Medium Cinemas For Bi-Amp Applications. Flat Front Design for Easy Bafflewall	2,723.00
4642A	2X18 SUBWOOFER SYSTEM	4 ohm, Dual 18" Bass Reflex Subwoofer System. Components: Two 2241H Installed in Dual 18" Enclosure, 1200 watts.	2,024.00
4642A-GS	2X18 SUBWOOFER SYSTEM	4 ohm, Dual 18" Bass Reflex Subwoofer System with Grille. Approved by Lucasfilm, Ltd., for THX® System Installations.	2,206.00
4645C	S/M 4645C SINGLE PORT SUB	8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2242H Installed in 4518A Enclosure, Single Port, 800 watts.	1,453.00

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
4722-HF	S/M, 4722-HF	High Frequency Section for 4722 System – Bi-Amp. Components: 2384 ScreenArray Horn, 2432H Driver, and Bracket. Pre-	602.00
4722N	2WAY SCREEN ARRAY W/NTWRK-PASSIVE APPL	Two-Way ScreenArray for Small to Medium Cinemas For Passive Applications, 4722 Model with Network. 750 Hz	1,739.00
4722N-HF	S/M, 4722N-HF	High Frequency Section for 4722N System – Passive. Components: 2384 ScreenArray Horn, 2432H Driver, Network and	700.00
4732-M/HF	S/M, 4732-M/HF	Mid/High Frequency Section for 4732 System. Components: Four 165H Mid Frequency and One 2432H High Freq. Pre-	2,231.00
4732-M/HF-T	S/M, 4732-M/HF-T	Mid/High Frequency Section for 4732T System Components: Four 165H 6.5" Mid Range and One 2432H High Freq. Pre-	2,231.00
4732T	TRI-AMP 3/WAY SCREEN ARRAY-SM TO MED	Three-Way Screen Array for Medium to Large Cinemas For Tri-Amp Applications. Flat Front Design for Easy Bafflewall	3,270.00
5674-M/HF	HORN/DRIVER BRKT ASSYCINEMA 5000 SERIES	Mid/High Frequency Section for 5672 and 5674 System. Components: 2392, 2490H, 2352 and 2451H.	4,978.00
5732-M/HF	MID HIGH SECTION 3-WAY SCREEN ARRAY	Mid-High Frequency Section for 5732 System. Components: Two 2169J 200mm (8 inch) Differential Drive® Mid Frequency and	2,363.00
5742-M/HF	HIGH POWER 4-WAY SCREEN ARRAY M/HF	Mid-High Frequency Section for 5742 System. Components: Four 2169J 200mm (8 inch) Differential Drive® Mid Frequency and	3,236.00
8340A	10IN. 2WAY CINEMA SURROUND MOLDED BOX	Two-Way Surround System, High Power, 250 watts, Convenient Mounting Design uses JBL Quick-Mount® Brackets, Design	546.00
SCS12	SPATIALLY CUED SURROUND 12"	Two-way Full Range Cinema Surround Speaker ideal for Multi Channel Surround Formats and is Designed for overhead	692.00
SCS8	SPATIALLY CUED SURROUND 8"	Two-way Full Range Cinema Surround Speaker ideal for Multi Channel Surround Formats for Medium Sized auditoriums. The	475.00
IVX-587000	Intellivox-DS115, Amp@Bottom	N/A	7,776.12
IVX-587001	Intellivox-DS115, Amp@Top	N/A	7,776.12
IVX-587004	Intellivox-DS115, Amp@Back	N/A	8,113.14
IVX-587005	Intellivox-DS115, Amp@Back with stand adaptor	N/A	8,211.78
IVX-585000	Intellivox-DC115, Amp@Bottom	N/A	6,493.80
IVX-585001	Intellivox-DC115, Amp@Top	N/A	6,493.80
IVX-585004	Intellivox-DC115, Amp@Back	N/A	7,143.18
IVX-585005	Intellivox-DC115, Amp@Back with stand adaptor	N/A	7,200.72
IVX-20021	Intellivox 115 series Custom Color Surcharge	N/A	558.96
IVX-20010	Weather-proofing kit, AXYS Intellivox 115/180 series. Only for amp at top units.	N/A	846.66
IVX-587040	Intellivox-DSX180, Amp@Bottom	N/A	11,170.98
IVX-587041	Intellivox-DSX180, Amp@Top	N/A	11,170.98
IVX-587020	Intellivox-DS180, Amp@Bottom	N/A	11,170.98
IVX-587021	Intellivox-DS180, Amp@Top	N/A	11,170.98
IVX-587024	Intellivox-DS180, Amp@Back	N/A	12,321.78
IVX-585020	Intellivox-DC180, Amp@Bottom	N/A	9,321.48
IVX-585021	Intellivox-DC180, Amp@Top	N/A	9,321.48
IVX-585024	Intellivox-DC180, Amp@Back	N/A	10,258.56
IVX-20022	Intellivox 180 series Custom Color Surcharge	N/A	618.14
IVX-97765012	Dummy Enclosure. Intellivox 180 series	N/A	2,145.42
IVX-20010	Weather-proofing kit, AXYS Intellivox 115/180 series. Only for amp at top units.	N/A	846.66
IVX-587080	Intellivox-DSX280, Amp@Bottom	N/A	14,286.36
IVX-587081	Intellivox-DSX280, Amp@Top	N/A	14,286.36
IVX-587060	Intellivox-DS280, Amp@Bottom	N/A	14,286.36
IVX-587061	Intellivox-DS280, Amp@Top	N/A	14,286.36
IVX-587064	Intellivox-DS280, Amp@Back	N/A	15,609.78
IVX-585060	Intellivox-DC280, Amp@Bottom	N/A	11,902.56
IVX-585061	Intellivox-DC280, Amp@Top	N/A	11,902.56
IVX-585064	Intellivox-DC280, Amp@Back	N/A	13,086.24
IVX-20023	Intellivox 280 series Custom Color Surcharge	N/A	756.24
IVX-97665012	Dummy Enclosure. Intellivox 280 series	N/A	2,161.86
IVX-20012	Weather-proofing kit, Intellivox 280 / 380 series. Only for amp at top units.	N/A	904.20

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
IVX-587350	Intellivox-DSX380, Amp@Bottom	N/A	18,878.05
IVX-587351	Intellivox-DSX380, Amp@Top	N/A	18,878.05
IVX-587300	Intellivox-DS380, Amp@Bottom	N/A	18,878.05
IVX-587301	Intellivox-DS380, Amp@Top	N/A	18,878.05
IVX-585300	Intellivox-DC380, Amp@Bottom	N/A	16,300.26
IVX-585301	Intellivox-DC380, Amp@Top	N/A	16,300.26
IVX-20033	Intellivox 380 series Custom Color Surcharge	N/A	780.90
IVX-20012	Weather-proofing kit, Intellivox 280 / 380 series. Only for amp at top units.	N/A	904.20
IVX-587140	Intellivox-DSX430, Amp@Bottom	N/A	21,363.78
IVX-587141	Intellivox-DSX430, Amp@Top	N/A	21,363.78
IVX-587120	Intellivox-DS430, Amp@Bottom	N/A	21,363.78
IVX-587121	Intellivox-DS430, Amp@Top	N/A	21,363.78
IVX-587124	Intellivox-DS430, Amp@Back	N/A	23,829.78
IVX-585120	Intellivox-DC430, Amp@Bottom	N/A	18,445.68
IVX-585121	Intellivox-DC430, Amp@Top	N/A	18,445.68
IVX-585124	Intellivox-DC430, Amp@Back	N/A	20,286.96
IVX-20043	Intellivox 430 series Custom Color Surcharge	N/A	805.56
IVX-97745012	Dummy Enclosure. Intellivox 430 series	N/A	3,148.26
IVX-20014	Weather-proofing kit, AXYS Intellivox 430 series. Only for amp at top units.	N/A	1,183.68
IVX-587180	Intellivox-DSX500, Amp@Bottom	N/A	29,164.56
IVX-587181	Intellivox-DSX500, Amp@Top	N/A	29,164.56
IVX-587160	Intellivox-DS500, Amp@Bottom	N/A	29,164.56
IVX-587164	Intellivox-DS500, Amp@Back	N/A	31,227.78
IVX-585160	Intellivox-DC500, Amp@Bottom	N/A	23,805.12
IVX-585161	Intellivox-DC500, Amp@Top	N/A	23,805.12
IVX-585164	Intellivox-DC500, Amp@Back	N/A	26,188.92
IVX-20063	Intellivox 500 series Custom Color Surcharge	N/A	854.88
IVX-97775012	Dummy Enclosure. Intellivox 500 series	N/A	4,118.22
IVX-20016	Weather-proofing kit, AXYS Intellivox 500 series. Only for amp at top units.	N/A	1,923.48
IVX-585100	Intellivox-DC360SF fixed azimuth, Amp@Bottom	N/A	15,371.40
IVX-585110	Intellivox-DC360SV variable azimuth, Amp@Bottom	N/A	18,445.68
IVX-585101	Intellivox-DC360SF fixed azimuth, Amp@Top	N/A	15,371.40
IVX-585111	Intellivox-DC360SV variable azimuth, Amp@Top	N/A	18,445.68
IVX-585104	Intellivox-DC360SF fixed azimuth, Amp@Back	N/A	16,906.90
IVX-585114	Intellivox-DC360SV variable azimuth, Amp@Back	N/A	20,286.96
IVX-587110	Intellivox-DS360SV variable azimuth, Amp@Bottom	N/A	21,363.78
IVX-587111	Intellivox-DS360SV variable azimuth, Amp@Top	N/A	21,363.78
IVX-587114	Intellivox-DS360SV variable azimuth, Amp@Back	N/A	23,829.78
IVX-20053	Intellivox-DC360SF/360SV, DS360SV Surcharge Custom Color]	N/A	863.10
IVX-587550	IntelliDisc-DS90	N/A	31,227.78
IVX-587890	Intellivox-HP-DS370, High Power	N/A	31,000.00
IVX-587860	Intellivox-DS808 Inc. 3U rack mount IntelliAmp 8x100W	N/A	25,144.98
IVX-585860	Intellivox-DC808, Inc. 3U rack mount IntelliAmp (8x 100W)	N/A	20,987.30
IVX-20808	Intellivox-DC808, DS808 Surcharge Custom Color]	N/A	649.38

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
IVX-21608	Intellivox-HP-DS370 Surcharge Custom Color	N/A	756.24
IVX-802010	Intellivox 1608/808 Hinge Bracket 90°, RAL9010	N/A	189.06
IVX-576125	Intellivox V-90 MKII, Ral 9007 - EN54:24	N/A	1,841.28
IVX-576125x25	Intellivox V-90 MKII, Ral 9007 - 25 pcs - EN54:24	N/A	1,657.15
IVX-576126	Intellivox H-90 MKII Symmetric Dir Cntl, Ral 9007 - EN54:24	N/A	1,931.70
IVX-576126x25	Intellivox H-90 MKII Symmetric Directivity Control, Ral 9007 - 25 pcs - EN54:24	N/A	1,738.53
IVX-577125	Intellivox V-90 MKII, Ral 9010 - EN54:24	N/A	1,841.28
IVX-577125x25	Intellivox V-90 MKII, Ral 9010 - 25 pcs - EN54:24	N/A	1,657.15
IVX-577126	Intellivox H-90 MKII Symmetric Directivity Control, Ral 9010 - EN54:24	N/A	1,931.70
IVX-577126x25	Intellivox H-90 MKII Symmetric Directivity Control, Ral 9010 - 25 pcs - EN54:24	N/A	1,738.53
IVX-577135	Intellivox V-90 MKII, Special Color] - EN54:24	N/A	2,239.13
IVX-577136	Intellivox H-90 MKII, Special Color] - EN54:24	N/A	2,349.28
IVX-17959145	WAGO 231 female cable connector 5pin. Including strain relief housing	N/A	28.61
IVX-17959146	WAGO 231 female cable connector 6pin. Including strain relief housing	N/A	30.25
IVX-17949145	WAGO 231cable/male connector cage 5pin. Including strain relief housing	N/A	28.77
IVX-17949901	WAGO 232-231 Assembly Tool	N/A	0.41
IVX-381001	Intellivox DC/DS Optional 100V / 0dBV input board	N/A	647.74
IVX-381003	Intellivox DC/DS Optional 100V / 100V input board	N/A	647.74
IVX-381005	Dual 100V input board with DC blocking	N/A	647.74
IVX-387802	USB to RS485 Converter	N/A	281.39
IVX-386602	Programming Set Intellivox USB. Comes with 5-pin XLR to WAGO	N/A	484.98
IVX-97661101	Ambient mic. and temperature sensor for AXYS Intellivox	N/A	195.70
IVX-806602	Set of Hinges (yellow passivated) for Ivx DC/DS115/180/280	N/A	75.62
IVX-807402	Set of Hinges (yellow passivated) for Ivx DC/DS430/500	N/A	105.22
IVX-802225	Intellivox Wall Bracket 25mm, Set (2 pcs) Inc. fasteners, RAL9010	N/A	59.18
IVX-802226	Intellivox Wall Bracket 25mm, Set (3 pcs) Inc. fasteners, RAL9010	N/A	80.56
IVX-802227	Intellivox Wall Bracket 25mm, Set (2 pcs) Inc. fasteners, RAL9007	N/A	80.56
IVX-802235	Intellivox Wall Bracket 35mm, Set (2 pcs) Inc. fasteners, RAL9010	N/A	60.83
IVX-802236	Intellivox Wall Bracket 35mm, Set (3 pcs) Inc. fasteners, RAL9010	N/A	95.35
IVX-802260	Intellivox Wall Bracket 60mm, Set (2 pcs) Inc. fasteners, RAL9010	N/A	78.91
IVX-802261	Intellivox Wall Bracket 60mm, Set (3 pcs) Inc. fasteners, RAL9010	N/A	98.64
IVX-802000	Intellivox Hinge Bracket 90°, RAL9010	N/A	62.47
IVX-802005	Intellivox Hinge Bracket 90°, RAL9007	N/A	69.05
IVX-806618	Intellivox Swivel Wall Bracket 45°, RAL9010	N/A	121.66
IVX-806678	Intellivox Swivel Wall Bracket 45°, RAL9007	N/A	121.66
IVX-806608	Intellivox Swivel Wall Bracket 90°, RAL9010	N/A	121.66
IVX-806668	Intellivox Swivel Wall Bracket 90°, RAL9007	N/A	121.66
IVX-846601	Intellivox to Manfrotto Stand Fixing, RAL9010 - Not suitable for 430 & 500	N/A	115.08
IVX-802100	Intellivox Cable entry cover box 2x M25, Inc. fasteners, RAL9010	N/A	238.38
IVX-802105	Intellivox Cable entry cover box 2x M16, Inc. fasteners, RAL9010	N/A	184.95
IVX-802110	Intellivox Cable entry cover plate 2x PG13.5, Inc. fasteners, RAL9010	N/A	47.68
IVX-802120	Intellivox Cable entry cover box 6x XLR, pre-assembled, RAL9010	N/A	647.74
IVX-191810043	Intellivox Cable entry cover box 6x XLR, pre-punched	N/A	210.43
AXY-710162	AXYS Target System U-16 Inc. flightware	N/A	8,211.78

All SKUs



Model Number	Short Description	Long Description	U.S. MSRP Price
AXY-712820	AXYS Target System T-2820	N/A	16,431.78
AXY-710215	AXYS Target System B-215 Sub-woofer	N/A	11,499.78
AXY-828501	Rigging bar Target T-2820, B-215 System	N/A	197.08
AXY-808314	Rigging strap 141mm Ø5mm	N/A	75.36
AXY-808414	Rigging strap 141mm Ø6mm	N/A	97.79
AXY-808420	Rigging strap single ended 200mm Ø6mm, 90°	N/A	97.19
AXY-808456	Rigging strap 560mm Ø6mm, 1 Target Unit Spacer	N/A	109.95
AXY-8212288	Target U-16 Bumper Depth=750mm, Ral 7021	N/A	1,417.00
AXY-8212289	Target U-16 Bumper Depth=300mm, Ral 7021	N/A	1,360.31
AXY-642412	AXYS T-2112 ^{G2} , Extended Rigging	N/A	8,821.70
AXY-8213715	T-2112-G2 Pan/Tilt frame complete	N/A	775.64
AXY-642515	AXYS T-2115 ^{G2} W, Extended rigging, wide horn	N/A	9,360.08
AXY-8214115	T-2115-G2 Pan/Tilt frame complete	N/A	853.76
AXY-621007	AXYS T-07 Mid/High System	N/A	9,860.32
AXY-627707	AXYS B-07 G2 Sub-woofer with pole adaptor	N/A	6,966.02
AXY-650012	AXYS® U-12 G2 (excl mtg brkt)	N/A	3,065.86
AXY-841501	Mounting bracket U12 VERTICAL	N/A	46.03
AXY-841502	Mounting bracket U12 Horizontal	N/A	47.68
AXY-650014	AXYS® U-14 G2 (excl mtg brkt)	N/A	3,264.98
AXY-841601	Mounting bracket U14 VERTICAL	N/A	52.61
AXY-841602	Mounting bracket U14 Horizontal	N/A	57.54
AXY-650265	AXYS® UFM-265 G2 Stage Monitor	N/A	3,465.16
AXY-652025	AXYS UB-25 G2 Sub-woofer with pole adaptor	N/A	6,561.60
AXY-627707	AXYS B-07 G2 Sub-woofer with pole adaptor	N/A	6,966.02
AXY-710215	AXYS B-215 Sub-woofer with seat track rigging	N/A	11,499.78
AXY-710121	AXYS B-121 Sub-woofer with pole adaptor	N/A	8,832.88
AXY-712215	AXYS B-215DIFF Differential Sub-woofer	N/A	8,623.50
AXY-388302	Programming Set Sound Reinforcement	N/A	516.41
AXY-582020	AXYS Octadrive 8-channel line driver	N/A	4,668.96
AXY-391030	AXYS Octadrive DSP-CN 8-channel line driver with CobraNet interface	N/A	5,671.80
AXY-386600	WinControl Surveillance Server - 3U 19" server KVM	N/A	"Call for Price"
AXY-391510	WinControl Surveillance Server - 3U 19" server with CobraNet interface and KVM	N/A	
AXY-391010	AXYS Cerberus, Multi I/O Surveillance Station	N/A	2,939.74
AXY-391020	AXYS Anubis 8-ch RS-485 auto-switch for master/slave PC.	N/A	3,292.93